



Does Traceability Lead to Food Authentication? A Systematic Review from A European Perspective

Maria-Eleni Dimitrakopoulou & Apostolos Vantarakis

To cite this article: Maria-Eleni Dimitrakopoulou & Apostolos Vantarakis (2021): Does Traceability Lead to Food Authentication? A Systematic Review from A European Perspective, Food Reviews International, DOI: [10.1080/87559129.2021.1923028](https://doi.org/10.1080/87559129.2021.1923028)

To link to this article: <https://doi.org/10.1080/87559129.2021.1923028>



Published online: 18 May 2021.



Submit your article to this journal [↗](#)



Article views: 140



View related articles [↗](#)



View Crossmark data [↗](#)



Does Traceability Lead to Food Authentication? A Systematic Review from A European Perspective

Maria-Eleni Dimitrakopoulou and Apostolos Vantarakis

Department of Public Health, Medical School, University of Patras, Patras, Greece

ABSTRACT

Food safety and quality concern increasingly both consumers and the entire food sector involved. The European Union has implemented specific legislation for food products in order to monitor food safety and quality, protecting each country's culture, history and local economy at the same time. Moreover, Europe's heritage is being enriched, by establishing quality schemes such as Protected Designation of Origin (PDO) and Protected Geographical Indication (PGI). Europe's interest and concern regarding food safety proved also by Framework Program 5 Horizon 2020 continuous funding. Food traceability as well as food authentication constitute inseparable parts of food safety and quality. This systematic review presents innovative research technologies which are used in Europe for food traceability and authentication and published within the period 2010–2018. Moreover, information about the method used, the country of origin, the food type and the level of food process, are provided. This paper offers a new possible approach regarding the combination of the existing definitions of food traceability and authentication, as far as food provenance is concerned.

KEYWORDS

Food traceability; food authentication; geographical origin; food safety; food fraud

Introduction

Food traceability is defined as the ability to provide information about the history and origin of a product through a supply chain. This way could contribute to documentation of a specific production chain. Also, through a traceability system, actions such as a recall, if a product is found to be unsafe to consume or not according to quality or safety standards, are easily performed^[1]. Food traceability can offer a new aspect for consumer's protection by being a basic part of food safety, food quality, and essential for food supply chain. However, a food traceability system is related to food authentication because it is based on the creditability of originality. International and national research have revealed several cases of food adulteration. In Europe, during the period 2016–2018, many reports related to adulteration, counterfeiting, and mislabeling have been published. Wine, spirits, olive oil, fish, meat, cheese, honey, herbs and spices represent the most commonly reported adulterated foods (*European Commission, 2019*).

For these reasons, standardization organizations for controlling the origin of foodstuff and the production process have appeared all over the world e.g., the French 'Institut National des Appellations d'Origine (INAO)', Italy's 'Denominazione di Origine Controllata', Spain's 'Denominación de Origen', South Africa's 'Wine of Origin' or the United States' 'American Viticultural Areas'. Moreover, the European Union (EU) introduced legislation presenting specific names for agricultural products, foods and beverages of a quality or reputation (*Council Regulation, EEC No 2081/92*) such as PDO, PGI and TSG. PDO (Protected Designation of Origin) identifies food products that are produced, processed, and prepared in

a defined geographical area. PGI (Protected Geographical Indication) identifies agricultural products and foods linked to a geographical area where at minimum one production step occurred and TSG (Traditional Specialties Guaranteed) identify and protect traditional methods of production ^[2]. These EU schemes are established to protect the reputation of the regional foods, to help producers obtain premium prices for authentic products and to minimize the unfair and misleading competition from fraudulent products (*1151/2012 EU Regulation*). Food authentication is main concern for severe organizations including the scientific community, law enforcement, food producers, importers, exporters, and consumers. This field is in the phase of exponential growth and is attracting a high level of attention from authorities and media around the world due to the production of counterfeit food and illegal food trade.

Food safety and quality authorities are asking for an extended and updated list of the analytical techniques for confirmation of food authentication and to support law enforcement. Therefore, there is a growing need for reliable analytical methods that can give a decisive answer about the authenticity of foodstuffs. Food authentication methods must be scientifically proven, accurate and reliable so that food products can be protected and clearly distinguished from any illegal substitutes. Several studies have attempted to summarize different aspects of evaluating food authenticity, such as country of origin, or reactions to specific food fraud cases and public attitudes towards food safety associated with traceability ^[3].

We conducted this systematic review to analyze the correlation between food traceability and authentication, record the lab-based methods used for food authentication or/and traceability, the countries and food types involved and the level of the food process (raw or processed). As far as we know, there is no similar systematic review published.

Methods

Protocol and registration

In the present study a protocol based on PRISMA statement was performed, followed in all steps: literature search, study selection and analysis process (Fig. 1 and 2, 3).

Eligibility criteria

All study designs were included in the first step, irrespectively of the date of their publication. The literature search was conducted without language limitations, on the condition that an abstract in English existed reporting the information of interest. The inclusion and exclusion criteria were set as follows:

Inclusion criteria:

- Lab-based techniques
- European studies
- Food type

At least one of the following information is referred: *food authentication, food traceability, geographical origin*

Exclusion criteria:

- Feed traceability/authentication
- Drugs/Medicine type
- Non Lab-based techniques
- Non EU-based study




Figure 1. Prisma flow diagram.

Information sources and literature search

Scopus, Science direct and Pub Med were searched for empirical studies published over the past 8 years i.e. 2010 onwards: A comprehensive literature review was conducted using three online databases: Science Direct (Elsevier), Scopus (Elsevier) and PubMed (NCBI). We used the following search terms (adapted for each database): (Food) AND (traceability) AND (Food) AND (authentication) AND (geographical origin).

(TITLE-ABS-KEY (food AND traceability) AND TITLE-ABS-KEY (food AND authentication) AND TITLE-ABS-KEY (geographical AND origin) AND (LIMIT-TO (PUBYEAR, 2018) OR LIMIT-TO (PUBYEAR, 2017) OR LIMIT-TO (PUBYEAR, 2016) OR LIMIT-TO (PUBYEAR, 2015) OR LIMIT-TO (PUBYEAR, 2014) OR LIMIT-TO (PUBYEAR, 2013) OR LIMIT-TO (PUBYEAR, 2012) OR LIMIT-TO (PUBYEAR, 2011) OR LIMIT-TO (PUBYEAR, 2010) AND (LIMIT-TO (DOCTYPE, "ar") OR LIMIT-TO (DOCTYPE, "re"))

Study selection

The selection of the studies to be included in the systematic review was evaluated by two reviewers independently: (M.D and A.V). Mendeley was used to identify duplicated publications and include each article only once. A first screening was performed by titles and abstracts, using the inclusion and exclusion criteria. The potentially relevant articles were passed on to the next step for further assessment. A second selection of the relevant studies was conducted by the full text of the included publications. The authors independently reviewed the potentially relevant studies according to the eligibility criteria to determine which studies would finally be included in the review.




Figure 2. Number of publications according to the food type.




Figure 3. Origin countries of publications on food traceability and/or authentication methods.

Data collection process

Food traceability and/or authentication method, location of the study, food matrix and type and correlation with geographical origin were the information extracted from the full text articles selected to be included in the study.

Results

Study selection

Only original research papers published with at least a summary in English were included. Initially, a total of 724 articles were identified. Next the number of publications was reduced to 693 by removing duplicates. The next stage involved the elimination of articles in which titles and abstracts did not refer

to lab-based methods of traceability or authentication. Three Publications were excluded due to the lack of full access. After assessing the remaining papers (n = 337) relevant research papers in terms of traceability and authentication methods, were identified. From those 113 papers were discarded due to the fact that were non Europe study or the matrix was feed or drugs or the methodology was unrelated. Papers in the final set (n = 224)^[4–227] mainly concerned food traceability and authentication lab-based methods in Europe. The systematic literature review approaches depicted in Fig. 1

Food type

Seafood, dairy, wines, beverages, plants, honey, meat and oils, were the most common food types used, in the included studies, in order to confirm the geographical origin or the identity of the product. The highest percentage, 29,4% (66 publications) presented techniques for identification of geographical or botanical origin of plants such as citrus, cherries, artichokes, garlic, tomato, wheat, rice etc . In addition, in this systematic review, 48 articles (21,4%) report methods for oils' authentication and traceability, considered that, olive oils' production has a great economic impact, resulting to a growing need for olive oil authentication. These specialty products such as plants or oils are sensitive to counterfeit admixture with cheaper varieties. Furthermore, the aim of 21 published articles (9,3%) was seafood authentication and traceability. Honey adulteration has been recorded in 20 publications due to commercial and health aspects. Eighteen reports (8,9%) targeted wine geographical traceability or wine authenticity. The origin and identity of dairy products is studied in 17 publications, whereas beverages and spirits counterfeit incidents reported in 12 articles. It is also known that meat industry is falling behind of its' major competitors, in terms of traceability, authentication and quality assurance, fact that is indicated by a small number of publications concerning this matter. Indeed, only ten publications are included in this review, which analysed methods for distinguishing meat species or for identifying meat geographical origin. Food types such as mushrooms, truffles, flours etc are analysed in 8 publication (Food type:Other). Last, but not least, 4 studies handled multiple food types.

Origin countries

Italy, during the period 2010–2018, emerged in the field of food traceability and authentication. This period, Italy was the first country in publications, with 37, 5% from the total included studies, potentially due to the high number the high number of PDO, PGI and TSG Italian food specialties, which are quality labeled and protected by the European Union. The fact that PDO, PGI and TSG products often command higher prices and have a worldwide economic impact, makes them subject to adulteration and attractive to fraudsters. Moreover, the global trade, the new distribution channels and the economic pressure, contribute to food fraud. Mediterranean European countries such as Spain and Greece, have also contributed with a large number of articles. Spain had 45 publications about food traceability and authentication, while Greece had 20. France, England, Germany and Romania were countries with approximately 10 publications each.

Level of food process

The reports described in this systematic review used either raw or processed material, while some of studies decided to use both, in order to explore whether the food process is a contributing factor. For instance, in the plants/crops' category, 42 articles are based on raw material, 14 articles on processed and 10 articles are based on both. Oils' traceability refers mostly to processed food, whereas 4 reports are based on raw food and 8 reports are based on both. Only a small number of studies focus on raw material, as a means for meat or dairy products' authentication. In the case of seafood, raw material and food of both processing levels are used in 9 articles respectively. Furthermore, in order to achieve honey traceability, authors in 9 publications used a processed source, in 8 publications raw material

and in 5 articles both. Wine or beverages’ authentication and traceability generally appear to be based on raw material.

According to Fig. 4, almost half of the included studies (44, 6%) used processed material in order to conduct their research. This high percentage is explained by the implemented food categories such as wine, oils and beverages, which are only consumed after their process. Furthermore, 35, 3% of the articles aim to traceability and authentication through raw material, especially as far as crops are concerned. As far as studies concerning both level of processing, they represented the 18, 3% of the total number. These studies probably used different levels of food process in order to evaluate their impact on food traceability and authentication results. The remaining 1, 8% refer to publications which used many food sources of multiple levels of process.

Traceability/authentication methods

Numerous publications have focused on the food traceability and authentication methods. This is due to the increased interest and concern of producers, traders, consumers, quality and safety authorities on the definition of the geographical origin of products. Nuclear magnetic resonances (NMR), Infrared spectroscopy (IR), isotopic techniques, DNA-based methods, Mass spectrometry (MS), chromatographic (GC-LC) prove to be very interesting in the study of food traceability and authentication. A variety of combinations of these techniques can also be used according to included studies. Fig. 5 demonstrates the number of publications in relation with the method used. Typical examples of the above mentioned methodologies are hereby provided. Table 1 records the methods used for every different food type. It has to be mentioned that several publications include more than one food type.

Nuclear Magnetic Resonance (NMR)

Nuclear Magnetic Resonance (NMR) methodologies are already used for analysis of target food compounds, since they provide information about chemical and molecular food composition.^[228] From the included studies, 11, 1% used NMR technologies for food traceability and authentication. An important necessity to obtain high resolution NMR spectra is an accurate molecular mobility. All liquid foods and beverages can be analyzed without any treatment because of the zero viscosity of




Figure 4. Articles according to the food matrix used in methodology.




Figure 5. Number of publications according to methodology.

Table 1. Method used according to food type.

FOOD TYPE	NMR	IR	DNA BASED	ISOTOPIC	MS/GC/LC	OTHER
BEVERAGE	4	1	–	2	5	3
DAIRY	2	5	3	4	5	–
FISH	2	–	15	2	3	1
HONEY	2	4	2	–	12	2
MEAT	1	1	3	3	3	–
OIL	7	8	5	9	21	8
WINE	1	2	1	6	9	1
PLANT	6	12	13	14	30	6
OTHER	–	–	1	2	4	2
TOTAL	25	33	43	42	92	23
%	9,68%	12,79%	16,66%	16,27%	35,60%	8,91%

fluids.^[229] Depending on the type of food sample and the NMR analytical method, different sample treatment protocols can be applied.^[229] NMR-based metabolomics studies have also been applied to investigate the origin of several food products. NMR based metabolomics protocol implemented, for example, in untreated Greek grape marc distillates, accomplished their classification and revealed potent metabolic markers^[220]. ¹H NMR approaches were used for fingerprinting of the unsaponifiable fraction of virgin olive oil and for classification according to their geographical origin^[90]. ¹H NMR metabolomics has been referred as a tool for analyzing boreal varietal honeys and botanical origin of Finnish honeys^[221]. Clear discrimination of different botanical origin of a product can also be achieved by NMR metabolomics. ¹³C NMR phospholipid profiles have been analyzed for discrimination among lean gadoid fish species and stocks^[222]. Characterization of metabolic profile of the “Tonda Gentile Trilobata” Italian hazelnuts, both raw and roasted by NMR approaches, as well as

differentiation between cultivars of other geographical origins, were also reported^[20]. There were also studies which demonstrated NMR-based lipid fingerprints for food traceability. Thus, NMR technologies seem to be a valid method in assessing botanical and geographical origin of a product.

Infrared spectroscopy (IR)

Spectroscopic technologies have been applied worldwide as an express method for routine analysis of a variety of food products, such as dairy, meat, wines and grains and in this systematic review represent the 13.8%. The most common techniques for food analysis are IR spectroscopy with sub-division in NIR (near-infrared) and MIR (mid-infrared). NIR lies in region between 780 nm < λ < 2,500 nm (12,820–4,000 cm⁻¹) and MIR in region 3000 nm < λ < 50,000 nm.^[230, 231] NIR is a rapid and reliable method for food authentication, including the determination of its' geographical origin. It has already been used as a reliable tool for real-time authentication of Asiago d'Allevo cheese, via the estimation of several chemical properties and also the classification of the dataset according to different farm management, ripening age, production period and production height^[223]. It has also been reported, that NIR spectra provide information for authenticate genuine PGI-Galician honey samples^[226]. NIR spectroscopy coupled with chemometrics classification methods were demonstrated for the authentication of the geographical origin of PDO pistachio samples from Bronte (Italy)^[224]. Analysis of FT-NIR (Fourier Transform-Near Infrared Spectroscopy) fingerprints can provide also total species and even subspecies' identification. Analysis of a food sample using the MIR spectrum (4000–400 cm⁻¹) or ATR-FTIR (Attenuated Total Reflection Fourier-Transform Infrared spectroscopy) spectra reveals information about the authentication of food origin. MIR spectra of 250 samples of sheep milk were studied in order to discriminate the geographical area where the sheep milk samples had been collected^[45]. Overall, IR spectroscopy is a powerful, fast and cheap method to trace food products and detect food fraud.

Mass Spectrometry – Gas Chromatography-Liquid chromatography (MS-GC-LC)

Mass profile of a food sample can be regarded as an analytical signature of the food product and thus can lead to an effective discrimination among food types. 40, 1% from studies included here, based on MS/GC/LC methodologies to access food traceability and authentication. For example, by monitoring the volatile compounds by SIFT-MS (Selected Ion Flow Tube-Mass Spectrometry) technique, discrimination and classification of a variety of food products can be achieved. A study which analyzed the chemical profiling (i.e. free acidity, peroxide value, spectrophotometric indices, fatty acid-, tocopherols- and sterol-composition) of extra virgin olive oils and applied three SIFT-MS spectra (H₃O⁺, NO⁺ and O₂⁺ reagent ions) for different geographical origin determination is reported^[96]. Prediction of virgin olives oils provenance was verified by analysis of MS-spectra of the volatile fractions^[98]. Moreover, chemometric processing of mass spectrometry seem to be an easy, quick and untargeted approach for differentiation between authentic and adulterant food samples. Analytical strategies for food authentication based on non-targeted fingerprinting approach utilizing gas chromatography coupled to tandem high-resolution mass spectrometry (Q-TOF mass analyzer) were also reported during 2010–2018. Mass spectrometric techniques that used fusion approaches, represent a robust way for food authentication were presented too. Chromatographic techniques such as GC, LC, HPLC, and HTGC were also reported in order to establish models for predicting the provenance of food products. Chromatographic methods can create unique chemical food fingerprints that enable differentiation between products. Aim of a research article included in this systematic review was to investigate the applicability of metabolic fingerprinting using ultra high performance liquid chromatography coupled to high resolution tandem mass spectrometry (UHPLC–HRMS) in order to authenticate saffron (*Crocus sativus*) according to their geographical origin and/or harvest years^[186]. Food traceability and authentication by chromatographic technologies are widely applied and implemented upon the identification of minimal analytical differences between patterns or the identification of unique marker compounds^[2].

DNA based

New DNA-based technologies which allow species identification with reliability and sensitivity are gaining attention in the food traceability and authenticity field and consist of the 18,3% from the included studies. For example, PCR-Restriction Fragment Length Polymorphism (PCR-RFLP) and COI barcoding are used for confirming mislabeling fraud in raw and processed foods ^[10]. These methods have been already used for mislabeling fraud in processed anchovy products and for discrimination *E.enrasicolus* among species. In addition, DNA markers, such as SSR, enable genetic characterization and distinction between species ^[88]. Genetic traceability in the case of Shambucana sheep was proven efficient for certifying the origin and discriminate from other breeds^[100]. Next Generation Sequencing (NGS) technologies are also a new reliable DNA-based method for species identification and food authentication. Real time-PCR, q-PCR, PCR-Denaturing Gel Gradient Electrophoresis (PCR-DGGE), High resolution melting (HRM), PCR-cloning, are some of the most popular and reliable molecular techniques for this purpose. Verification of Asian surimi traceability, using DNA-mini barcoding coupled with PCR-cloning for species authentication has been assessed^[218]. Discrimination of organic from conventional fruits by molecular microbial approaches, such as PCR-DGGE, was also reported^[71]. All these DNA-based techniques could be reference methods for species identification, for detecting accidental contamination and counterfeits or even verifying products geographical origin.

Isotopic

The stable isotopes ratios (SIR) of bio elements, which depend on botanical, geographical, agronomic and climatic factors, have been widely suggested for food authenticity and origin assessment. Severe isotopic analysis methods, according to our work (18, 75%) have been applied for both geographical traceability and authentication. Stable isotopes (C and O) can be compared between different geographical areas to achieve total discrimination of products. Stable isotope ratios of bio-elements ^[2,1,, 18/16,13/12,15/14N] combined with elemental profiles are also applied for determination of different food products. Use of $\delta^{13}C$ of glycerol in balsamic vinegars of Modena has presented as a suitable method for a deeper knowledge of this food source and for vinegars authentication ^[204]. Furthermore, Sr isotopes are already used to access the geographical origin of a food product. ^[87]Sr/^[86]Sr isotopes of bioavailable fractions, which are related to the geological substratum of the vineyard, were demonstrated as a useful analytical tool to check the geographical provenance of fresh grape fruits^[7]. Combination of ^[87]Sr/^[86]Sr isotopes and light stable elements (C, N, O, S) with multi-elemental profiling for the authentication of geographical origin of European cereal samples was already conducted^[150].

Methods linked with geographical origin

Table 2 depicts whether there is a correlation between food authentication and geographical origin according to the methodologies presented in this review. Among the 224 articles reviewed in total, 130 of them linked their methodology with the food production's geographical area. Studies examined the relationship between traceability and authentication. In 47 publications, authors used Mass spectrometry or Liquid/Gas chromatography and achieved the determination of the food products' geographical origin. Over the 35 articles concerning isotopic techniques, 26 have also resulted to proof about the geographical area. Less than half of the articles which used DNA-based traceability methods, associated the food product with its' geographical origin. On the other hand, more than half of the articles based on NMR or NIR/FTIR methods, linked food traceability to food provenance.

Discussion

Most of the approaches for food traceability and/or authentication presented in this review are very promising in fulfilling this role. The findings of this systematic review confirm the fact that methods

Table 2. Correlation of each methodology with geographical origin and authentication.

METHOD	GEOGRAPHICAL ORIGIN	AUTHENTICATION
NMR	14 (6,25%)	11 (4,91%)
DNA BASED	14 (6,25%)	27 (12,05%)
IR	19 (8,48%)	12 (5,35%)
ISOTOPIC	26 (11,6%)	9(4,01%)
MS/GC/LC	47 (20,9%)	32 (14,28%)
OTHER	10 (4,46%)	3 (1,33%)
TOTAL ARTICLES	130 (58,03%)	94 (41,96%)

used for food traceability could also provide information related to food authentication. From 224 articles searched, 130 of them concluded that food traceability is high related with food authentication and that an interdependent correlation between these terms exists.

Most of the publications included, target plant or oil traceability and/or authentication techniques. The level of food type process (raw, processed or both) used to conduct these methods is also presented. Italy seems to be the leader in food traceability/authentication publications with 84 articles out 224 articles included. The reason for this could be explained by the fact that Italy has numerous products with EU schemes labels such as PDO Lambrusco wines, extra virgin olive oils from Sabina PDO, PDO lard, PDO Pecorino Siciliano cheese etc.

According to this systematic review, the analytical techniques most commonly used to food traceability and/or authentication are MS/GC/LC based techniques. Mass Spectrometry can offer some important advantages, such as sensitivity, or the possibility to establish more robust couplings with separation techniques. Because of this method's high sensitivity, some compounds at low concentrations in a sample can be easily evaluated ^[232] So far, these techniques are applied for food traceability and/or authentication by target and non-target approaches. The highest percentage of the publications involved, have conducted non-target approaches for food traceability and/or authentication. More specific, by the total metabolite screening of a sample, end up with a specific characteristic compound each product's ^{[13] [40] [186]}. Metabolite fingerprinting coupled with appropriate statistical data process, provide a mean of comparing the profiles of a group of samples, for determination, identification and discrimination quali- and quantitative metabolite differences. On the other hand, metabolite profiling is a targeted method, in which samples are compared on the basis of the quali-quantitative distribution of a selected number of known metabolites (markers) ^[164]. For non-target approaches is essential, result's validation by an appropriate model, but it is often found to be used inefficiently or unreliable. So, when the identification of metabolites cannot be determined, several chemometric tools can be employed. Although, target compound approaches are also referred such, as Arabica coffee's authenticity by 16-O-Methylcafesol ^[5] or cereal's authenticity by specific peptide markers ^[80].

In detail, in order to analyze metabolomic data of a food sample, several steps need to be executed such as peak detection, integration, and data alignment before multivariate statistical analysis. Principal components analysis (PCA) and Partial least square (PLS) are the most-used multivariate statistical techniques. PCA intends to group the data from the food samples among new variables called principal components in order to find correlations among the different samples and by PLS, samples differentiation achieved by reduction of dimensionality while maximizing correlation between variables.

In conclusion, non-targeted approaches are much more requiring compared to classical targeted approaches. In targeted analysis, results are usually estimated compound-by-compound using univariate statistics. By contrast, the data extracted for non-targeted approaches typically needs to be evaluated using multivariate statistical models ^[233, 234, 235] Thus, it is essential need a target compound analysis for every food product to be found and validated.

Conclusions

During the period 2010–2018, the number of publication research articles which have focused on food traceability and/or authentication has been increased due to the fact that consumers are looking for high quality products. Consumers also tend to prefer food products with PDO, PGI or TSG status. As a consequence, there is a growing need to establish innovative and reliable techniques for food authentication and traceability.

In conclusion, apart from confirming the geographical origin of the product, these methods appear to represent a new pioneer tool for consumers and importers/exporters, who can be protected from food fraud and be reassured of the products' authenticity and geographical origin. Mass spectrometry, Gas and Liquid Chromatography technologies were explored in this systematic review and it was confirmed that these methods were able not only to lead to food traceability, but also to food authentication.

Acknowledgments

The present research received fund from the Single State Action Aid for Research, Technological Development & Innovation «INVESTIGATE - CREATE – INNOVATE» project “Trust Trace” T1EDK-04028

Funding

This work was supported by the Single State Action Aid for Research, Technological Development & Innovation «INVESTIGATE - CREATE – INNOVATE» [project “Trust Trace” T1EDK-04028].

References

- [1] Spence, M.; Stancu, V.; Elliott, C. T.; Dean, M. Exploring Consumer Purchase Intentions Towards Traceable Minced Beef and Beef Steak Using the Theory of Planned Behavior. *Food Control*. **2018**, *91*, 138–147. DOI: [10.1016/j.foodcont.2018.03.035](https://doi.org/10.1016/j.foodcont.2018.03.035).
- [2] Danezis, G. P.; Tsagkaris, A. S.; Camin, F.; Brusic, V.; Georgiou, C. A. Food Authentication: Techniques, Trends & Emerging Approaches. *TrAC - Trends Anal. Chem.* **2016**, *85*, 123–132. DOI: [10.1016/j.trac.2016.02.026](https://doi.org/10.1016/j.trac.2016.02.026).
- [3] Bentivoglio, D.; Savini, S.; Finco, A.; Bucci, G.; Boselli, E. Quality and Origin of Mountain Food Products: The New European Label as a Strategy for Sustainable Development. *Journal of Mountain Science*. **2019**, *16*(2), 428–440. DOI: [10.1007/s11629-018-4962-x](https://doi.org/10.1007/s11629-018-4962-x).
- [4] Perini, M.; Camin, F. 18O of Ethanol in Wine and Spirits for Authentication Purposes. *J. Food Sci.* **2013**, *78* (6), 839–844. DOI: [10.1111/1750-3841.12143](https://doi.org/10.1111/1750-3841.12143).
- [5] Gunning, Y.; Defernez, M.; Watson, A. D.; Beadman, N.; Colquhoun, I. J.; Le Gall, G.; Philo, M.; Garwood, H.; Williamson, D.; Davis, A. P.; et al. 16-O-Methylcafestol Is Present in Ground Roast Arabica Coffees: Implications for Authenticity Testing. *Food Chem.* **2018**, *248*(November 2017), 52–60. DOI: [10.1016/j.foodchem.2017.12.034](https://doi.org/10.1016/j.foodchem.2017.12.034).
- [6] Epova, E. N.; Bérail, S.; Zuliani, T.; Malherbe, J.; Sarthou, L.; Valiente, M.; Donard, O. F. X. 87Sr/86Sr Isotope Ratio and Multielemental Signatures as Indicators of Origin of European Cured Hams: The Role of Salt. *Food Chem.* **2018**, *246*(October 2017), 313–322. DOI: [10.1016/j.foodchem.2017.10.143](https://doi.org/10.1016/j.foodchem.2017.10.143).
- [7] Tescione, I.; Marchionni, S.; Casalini, M.; Vignozzi, N.; Mattei, M.; Conticelli, S. 87Sr/86Sr Isotopes in Grapes of Different Cultivars: A Geochemical Tool for Geographic Traceability of Agriculture Products. *Food Chem.* **2018**, *258*(September 2017), 374–380. DOI: [10.1016/j.foodchem.2018.03.083](https://doi.org/10.1016/j.foodchem.2018.03.083).
- [8] Tescione, I.; Marchionni, S.; Mattei, M.; Tassi, F.; Romano, C.; Conticelli, S. A Comparative 87Sr/86Sr Study in Red and White Wines to Validate Its Use as Geochemical Tracer for the Geographical Origin of Wine. *Procedia Earth Planet. Sci.* **2015**, *13*, 169–172. DOI: [10.1016/j.proeps.2015.07.039](https://doi.org/10.1016/j.proeps.2015.07.039).
- [9] Grundy, H. H.; Reece, P.; Buckley, M.; Solazzo, C. M.; Dowle, A. A.; Ashford, D.; Charlton, A. J.; Wadsley, M. K.; Collins, M. J. A Mass Spectrometry Method for the Determination of the Species of Origin of Gelatine in Foods and Pharmaceutical Products. *Food Chem.* **2016**, *190*, 276–284. DOI: [10.1016/j.foodchem.2015.05.054](https://doi.org/10.1016/j.foodchem.2015.05.054).
- [10] Pappalardo, A. M.; Ferrito, V. A COIBar-RFLP Strategy for the Rapid Detection of *Engraulis encrasicolus* in Processed Anchovy Products. *Food Control*. **2015**, *57*, 385–392. DOI: [10.1016/j.foodcont.2015.03.038](https://doi.org/10.1016/j.foodcont.2015.03.038).
- [11] Bajoub, A.; Medina-Rodríguez, S.; Ajal, E. A.; Cuadros-Rodríguez, L.; Monasterio, R. P.; Vercammen, J.; Fernández-Gutiérrez, A.; Carrasco-Pancorbo, A. A Metabolic Fingerprinting Approach Based on Selected Ion Flow Tube Mass Spectrometry (SIFT-MS) and Chemometrics: A Reliable Tool for Mediterranean Origin-Labelled Olive Oils Authentication. *Food Res. Int.* **2018**, *106*(December 2017), 233–242. DOI: [10.1016/j.foodres.2017.12.027](https://doi.org/10.1016/j.foodres.2017.12.027).

- [12] Martínez Bueno, M. J.; Díaz-Galiano, F. J.; Rajski, Ł.; Cutillas, V.; Fernández-Alba, A. R. A Non-Targeted Metabolomic Approach to Identify Food Markers to Support Discrimination between Organic and Conventional Tomato Crops. *J. Chromatogr. A*. **2018**, *1546*, 66–76. DOI: [10.1016/j.chroma.2018.03.002](https://doi.org/10.1016/j.chroma.2018.03.002).
- [13] Stupak, M.; Goodall, I.; Tomaniova, M.; Pulkrabova, J.; Hajslova, J. A Novel Approach to Assess the Quality and Authenticity of Scotch Whisky Based on Gas Chromatography Coupled to High Resolution Mass Spectrometry. *Anal. Chim. Acta*. **2018**, *1042*(2018), 60–70. DOI: [10.1016/j.aca.2018.09.017](https://doi.org/10.1016/j.aca.2018.09.017).
- [14] Raieta, K.; Muccillo, L.; Colantuoni, V. A Novel Reliable Method of DNA Extraction from Olive Oil Suitable for Molecular Traceability. *Food Chem.* **2015**, *172*, 596–602. DOI: [10.1016/j.foodchem.2014.09.101](https://doi.org/10.1016/j.foodchem.2014.09.101).
- [15] Bazakos, C.; Dulger, A. O.; Uncu, A. T.; Spaniolas, S.; Spano, T.; Kalaitzis, P. A SNP-Based PCR-RFLP Capillary Electrophoresis Analysis for the Identification of the Varietal Origin of Olive Oils. *Food Chem.* **2012**, *134*(4), 2411–2418. DOI: [10.1016/j.foodchem.2012.04.031](https://doi.org/10.1016/j.foodchem.2012.04.031).
- [16] Oliveri, P.; Casolino, M. C.; Casale, M.; Medini, L.; Mare, F.; Lanteri, S. A Spectral Transfer Procedure for Application of A Single Class-Model to Spectra Recorded by Different near-Infrared Spectrometers for Authentication of Olives in Brine. *Anal. Chim. Acta*. **2013**, *761*, 46–52. DOI: [10.1016/j.aca.2012.11.020](https://doi.org/10.1016/j.aca.2012.11.020).
- [17] Aceto, M.; Robotti, E.; Oddone, M.; Baldizzone, M.; Bonifacino, G.; Bezzo, G.; Di Stefano, R.; Gosetti, F.; Mazzucco, E.; Manfredi, M.; et al. A Traceability Study on the Moscato Wine Chain. *Food Chem.* **2013**, *138* (2–3), 1914–1922. DOI: [10.1016/j.foodchem.2012.11.019](https://doi.org/10.1016/j.foodchem.2012.11.019).
- [18] Jandrić, Z.; Cannavan, A. An Investigative Study on Differentiation of Citrus Fruit/Fruit Juices by UPLC-QToF MS and Chemometrics. *Food Control*. **2017**, *72*, 173–180. DOI: [10.1016/j.foodcont.2015.12.031](https://doi.org/10.1016/j.foodcont.2015.12.031).
- [19] Jandrić, Z.; Frew, R. D.; Fernandez-Cedi, L. N.; Cannavan, A. An Investigative Study on Discrimination of Honey of Various Floral and Geographical Origins Using UPLC-QToF MS and Multivariate Data Analysis. *Food Control*. **2017**, *72*, 189–197. DOI: [10.1016/j.foodcont.2015.10.010](https://doi.org/10.1016/j.foodcont.2015.10.010).
- [20] Caligiani, A.; Coisson, J. D.; Travaglia, F.; Acquotti, D.; Palla, G.; Palla, L.; Arlorio, M. Application of ¹H NMR for the Characterisation and Authentication of “Tonda Gentile Trilobata” Hazelnuts from Piedmont (Italy). *Food Chem.* **2014**, *148*, 77–85. DOI: [10.1016/j.foodchem.2013.10.001](https://doi.org/10.1016/j.foodchem.2013.10.001).
- [21] Oliveri, P.; Di Egidio, V.; Woodcock, T.; Downey, G. Application of Class-Modelling Techniques to near Infrared Data for Food Authentication Purposes. *Food Chem.* **2011**, *125*(4), 1450–1456. DOI: [10.1016/j.foodchem.2010.10.047](https://doi.org/10.1016/j.foodchem.2010.10.047).
- [22] Sardina, M. T.; Tortorici, L.; Mastrangelo, S.; Di Gerlando, R.; Tolone, M.; Portolano, B. Application of Microsatellite Markers as Potential Tools for Traceability of Girgentana Goat Breed Dairy Products. *Food Res. Int.* **2015**, *74*, 115–122. DOI: [10.1016/j.foodres.2015.04.038](https://doi.org/10.1016/j.foodres.2015.04.038).
- [23] Ribani, A.; Schiavo, G.; Utzeri, V. J.; Bertolini, F.; Geraci, C.; Bovo, S.; Fontanesi, L. Application of Next Generation Semiconductor Based Sequencing for Species Identification and Analysis of Within-Species Mitotypes Useful for Authentication of Meat Derived Products. *Food Control*. **2018**, *91*, 58–67. DOI: [10.1016/j.foodcont.2018.03.034](https://doi.org/10.1016/j.foodcont.2018.03.034).
- [24] Cuevas, F. J.; Pereira-Caro, G.; Moreno-Rojas, J. M.; Muñoz-Redondo, J. M.; Ruiz-Moreno, M. J. Assessment of Premium Organic Orange Juices Authenticity Using HPLC-HR-MS and HS-SPME-GC-MS Combining Data Fusion and Chemometrics. *Food Control*. **2017**, *82*, 203–211. DOI: [10.1016/j.foodcont.2017.06.031](https://doi.org/10.1016/j.foodcont.2017.06.031).
- [25] Gan, H. H.; Soukoulis, C.; Fisk, I. Atmospheric Pressure Chemical Ionisation Mass Spectrometry Analysis Linked with Chemometrics for Food Classification - A Case Study: Geographical Provenance and Cultivar Classification of Monovarietal Clarified Apple Juices. *Food Chem.* **2014**, *146*, 149–156. DOI: [10.1016/j.foodchem.2013.09.024](https://doi.org/10.1016/j.foodchem.2013.09.024).
- [26] Portarena, S.; Gavrichkova, O.; Lauteri, M.; Brugnoli, E. Authentication and Traceability of Italian Extra-Virgin Olive Oils by Means of Stable Isotopes Techniques. *Food Chem.* **2014**, *164*, 12–16. DOI: [10.1016/j.foodchem.2014.04.115](https://doi.org/10.1016/j.foodchem.2014.04.115).
- [27] Matos-Reyes, M. N.; Simonot, J.; Lopez-Salazar, O.; Cervera, M. L.; De La Guardia, M. Authentication of Alicante's Mountain Cherries Protected Designation of Origin by Their Mineral Profile. *Food Chem.* **2013**, *141* (3), 2191–2197. DOI: [10.1016/j.foodchem.2013.04.097](https://doi.org/10.1016/j.foodchem.2013.04.097).
- [28] Jakes, W.; Gerdova, A.; Defernez, M.; Watson, A. D.; McCallum, C.; Limer, E.; Colquhoun, I. J.; Williamson, D. C.; Kemsley, E. K. Authentication of Beef versus Horse Meat Using 60 MHz ¹H NMR Spectroscopy. *Food Chem.* **2015**, *175*, 1–9. DOI: [10.1016/j.foodchem.2014.11.110](https://doi.org/10.1016/j.foodchem.2014.11.110).
- [29] Dominguez-Vidal, A.; Pantoja-De La Rosa, J.; Cuadros-Rodríguez, L.; Ayora-Cañada, M. J. Authentication of Canned Fish Packing Oils by Means of Fourier Transform Infrared Spectroscopy. *Food Chem.* **2016**, *190*, 122–127. DOI: [10.1016/j.foodchem.2015.05.064](https://doi.org/10.1016/j.foodchem.2015.05.064).
- [30] Guyader, S.; Thomas, F.; Portaluri, V.; Jamin, E.; Akoka, S.; Silvestre, V.; Remaud, G. Authentication of Edible Fats and Oils by Non-Targeted ¹³C INEPT NMR Spectroscopy. *Food Control*. **2018**, *91*, 216–224. DOI: [10.1016/j.foodcont.2018.03.046](https://doi.org/10.1016/j.foodcont.2018.03.046).
- [31] Ruiz-Samblás, C.; Arrebola-Pascual, C.; Tres, A.; Van Ruth, S.; Cuadros-Rodríguez, L. Authentication of Geographical Origin of Palm Oil by Chromatographic Fingerprinting of Triacylglycerols and Partial Least Square-Discriminant Analysis. *Talanta*. **2013**, *116*, 788–793. DOI: [10.1016/j.talanta.2013.07.054](https://doi.org/10.1016/j.talanta.2013.07.054).

- [32] Xu, M.; Heidmarsson, S.; Thorsteinsdottir, M.; Kreuzer, M.; Hawkins, J.; Omarsdottir, S.; Olafsdottir, E. S. Authentication of Iceland Moss (*Cetraria Islandica*) by UPLC-QToF-MS Chemical Profiling and DNA Barcoding. *Food Chem.* **2018**, 245(June 2017), 989–996. DOI: [10.1016/j.foodchem.2017.11.073](https://doi.org/10.1016/j.foodchem.2017.11.073).
- [33] Pacetti, D.; Boselli, E.; Balzano, M.; Frega, N. G. Authentication of Italian Espresso Coffee Blends through the GC Peak Ratio between Kahweol and 16-O-Methylcafestol. *Food Chem.* **2012**, 135(3), 1569–1574. DOI: [10.1016/j.foodchem.2012.06.007](https://doi.org/10.1016/j.foodchem.2012.06.007).
- [34] Huscsek, G.; Bönick, J.; Merkel, D.; Huscsek, D.; Rawel, H. Authentication of Leguminous-Based Products by Targeted Biomarkers Using High Resolution Time of Flight Mass Spectrometry. *LWT - Food Sci. Technol.* **2018**, 90(July 2017), 164–171. DOI: [10.1016/j.lwt.2017.12.034](https://doi.org/10.1016/j.lwt.2017.12.034).
- [35] Hrbek, V.; Vaclavik, L.; Elich, O.; Hajslova, J. Authentication of Milk and Milk-Based Foods by Direct Analysis in Real Time Ionization-High Resolution Mass Spectrometry (DART-HRMS) Technique: A Critical Assessment. *Food Control.* **2014**, 36(1), 138–145. DOI: [10.1016/j.foodcont.2013.08.003](https://doi.org/10.1016/j.foodcont.2013.08.003).
- [36] Rizzello, R.; Zampieri, E.; Vizzini, A.; Autino, A.; Cresti, M.; Bonfante, P.; Mello, A. Authentication of Prized White and Black Truffles in Processed Products Using Quantitative Real-Time PCR. *Food Res. Int.* **2012**, 48(2), 792–797. DOI: [10.1016/j.foodres.2012.06.019](https://doi.org/10.1016/j.foodres.2012.06.019).
- [37] Mir-Marqués, A.; Elvira-Sáez, C.; Cervera, M. L.; Garrigues, S.; De La Guardia, M. Authentication of Protected Designation of Origin Artichokes by Spectroscopy Methods. *Food Control.* **2016**, 59, 74–81. DOI: [10.1016/j.foodcont.2015.05.004](https://doi.org/10.1016/j.foodcont.2015.05.004).
- [38] Laroussi-Mezghani, S.; Vanloot, P.; Molinet, J.; Dupuy, N.; Hammami, M.; Grati-Kamoun, N.; Artaud, J. Authentication of Tunisian Virgin Olive Oils by Chemometric Analysis of Fatty Acid Compositions and NIR Spectra. Comparison with Maghrebian and French Virgin Olive Oils. *Food Chem.* **2015**, 173, 122–132. DOI: [10.1016/j.foodchem.2014.10.002](https://doi.org/10.1016/j.foodchem.2014.10.002).
- [39] Portinale, L.; Leonardi, G.; Arlorio, M.; Coisson, J. D.; Travaglia, F.; Locatelli, M. Authenticity Assessment and Protection of High-Quality Nebbiolo-Based Italian Wines through Machine Learning. *Chemom. Intell. Lab. Syst.* **2017**, 171(October), 182–197. DOI: [10.1016/j.chemolab.2017.10.012](https://doi.org/10.1016/j.chemolab.2017.10.012).
- [40] Hrbek, V.; Rektorisova, M.; Chmelarova, H.; Ovesna, J.; Hajslova, J. Authenticity Assessment of Garlic Using a Metabolomic Approach Based on High Resolution Mass Spectrometry. *J. Food Compos. Anal.* **2018**, 67 (December 2017), 19–28. DOI: [10.1016/j.jfca.2017.12.020](https://doi.org/10.1016/j.jfca.2017.12.020).
- [41] Ganopoulos, I.; Madesis, P.; Darzentas, N.; Argiriou, A.; Tsaftaris, A. Barcode High Resolution Melting (Bar-hrm) Analysis for Detection and Quantification of PDO “Fava Santorinis” (*Lathyrus Clymenum*) Adulterants. *Food Chem.* **2012**, 133(2), 505–512. DOI: [10.1016/j.foodchem.2012.01.015](https://doi.org/10.1016/j.foodchem.2012.01.015).
- [42] Muccillo, L.; Gambuti, A.; Frusciante, L.; Iorizzo, M.; Moio, L.; Raieta, K.; Rinaldi, A.; Colantuoni, V.; Aversano, R. Biochemical Features of Native Red Wines and Genetic Diversity of the Corresponding Grape Varieties from Campania Region. *Food Chem.* **2014**, 143, 506–513. DOI: [10.1016/j.foodchem.2013.07.133](https://doi.org/10.1016/j.foodchem.2013.07.133).
- [43] Adamo, P.; Zampella, M.; Quétel, C. R.; Aversano, R.; Dal Piaz, F.; De Tommasi, N.; Frusciante, L.; Iorizzo, M.; Lepore, L.; Carputo, D.; Biological and Geochemical Markers of the Geographical Origin and Genetic Identity of Potatoes. *J. Geochemical Explor.* **2012**, 121, 62–68. DOI: [10.1016/j.gexplo.2012.07.006](https://doi.org/10.1016/j.gexplo.2012.07.006).
- [44] Louppis, A. P.; Karabagias, I. K.; Kontakos, S.; Kontominas, M. G.; Papastefanou, C. Botanical Discrimination of Greek Unifloral Honeys Based on Mineral Content in Combination with Physicochemical Parameter Analysis, Using a Validated Chemometric Approach. *Microchem. J.* **2017**, 135, 180–189. DOI: [10.1016/j.microc.2017.09.004](https://doi.org/10.1016/j.microc.2017.09.004).
- [45] Caredda, M.; Addis, M.; Ibba, I.; Leardi, R.; Scintu, M. F.; Piredda, G.; Sanna, G. Building of Prediction Models by Using Mid-Infrared Spectroscopy and Fatty Acid Profile to Discriminate the Geographical Origin of Sheep Milk. *LWT - Food Sci. Technol.* **2017**, 75, 131–136. DOI: [10.1016/j.lwt.2016.08.053](https://doi.org/10.1016/j.lwt.2016.08.053).
- [46] Mallamace, D.; Vasi, S.; Corsaro, C.; Naccari, C.; Clodoveo, M. L.; Dugo, G.; Cicero, N.; Calorimetric Analysis Points Out the Physical-Chemistry of Organic Olive Oils and Reveals the Geographical Origin. *Phys. A Stat. Mech. its Appl.* **2017**, 486, 925–932. DOI: [10.1016/j.physa.2017.06.015](https://doi.org/10.1016/j.physa.2017.06.015).
- [47] Kaškonienė, V.; Venskutonis, P. R.; Čeksterytė, V. Carbohydrate Composition and Electrical Conductivity of Different Origin Honeys from Lithuania. *LWT - Food Sci. Technol.* **2010**, 43(5), 801–807. DOI: [10.1016/j.lwt.2010.01.007](https://doi.org/10.1016/j.lwt.2010.01.007).
- [48] Casazza, A. P.; Gavazzi, F.; Mastromauro, F.; Gianì, S.; Breviario, D. Certifying the Feed to Guarantee the Quality of Traditional Food: An Easy Way to Trace Plant Species in Complex Mixtures. *Food Chem.* **2011**, 124(2), 685–691. DOI: [10.1016/j.foodchem.2010.06.073](https://doi.org/10.1016/j.foodchem.2010.06.073).
- [49] Valenti, B.; Biondi, L.; Campidonico, L.; Bontempo, L.; Luciano, G.; Di Paola, F.; Copani, V.; Ziller, L.; Camin, F. Changes in Stable Isotope Ratios in PDO Cheese Related to the Area of Production and Green Forage Availability. The Case Study of Pecorino Siciliano. *Rapid Commun. Mass Spectrom.* **2017**, 31(9), 737–744. DOI: [10.1002/rcm.7840](https://doi.org/10.1002/rcm.7840).
- [50] Valdivielso, I.; De Renobales, M.; Aldai, N.; Barron, L. J. R. Changes in Terpenoid Composition of Milk and Cheese from Commercial Sheep Flocks Associated with Seasonal Feeding Regimens Throughout Lactation. *J. Dairy Sci.* **2017**, 100(1), 96–105. DOI: [10.3168/jds.2016-11761](https://doi.org/10.3168/jds.2016-11761).

- [51] Vanloot, P.; Dupuy, N.; Guiliano, M.; Artaud, J. Characterisation and Authentication of A. Senegal and A. Seyal Exudates by Infrared Spectroscopy and Chemometrics. *Food Chem.* **2012**, *135*(4), 2554–2560. DOI: [10.1016/j.foodchem.2012.06.125](https://doi.org/10.1016/j.foodchem.2012.06.125).
- [52] Camin, F.; Larcher, R.; Perini, M.; Bontempo, L.; Bertoldi, D.; Gagliano, G.; Nicolini, G.; Versini, G. Characterisation of Authentic Italian Extra-Virgin Olive Oils by Stable Isotope Ratios of C, O and H and Mineral Composition. *Food Chem.* **2010**, *118*(4), 901–909. DOI: [10.1016/j.foodchem.2008.04.059](https://doi.org/10.1016/j.foodchem.2008.04.059).
- [53] Purcaro, G.; Barp, L.; Beccaria, M.; Conte, L. S. Characterisation of Minor Components in Vegetable Oil by Comprehensive Gas Chromatography with Dual Detection. *Food Chem.* **2016**, *212*, 730–738. DOI: [10.1016/j.foodchem.2016.06.048](https://doi.org/10.1016/j.foodchem.2016.06.048).
- [54] Pouliarekou, E.; Badeka, A.; Tasioula-Margari, M.; Kontakos, S.; Longobardi, F.; Kontominas, M. G. Characterization and Classification of Western Greek Olive Oils according to Cultivar and Geographical Origin Based on Volatile Compounds. *J. Chromatogr. A.* **2011**, *1218*(42), 7534–7542. DOI: [10.1016/j.chroma.2011.07.081](https://doi.org/10.1016/j.chroma.2011.07.081).
- [55] Gašić, U. M.; Natić, M. M.; Mišić, D. M.; Lušić, D. V.; Milojković-Opsenica, D. M.; Tešić, Ž. L.; Lušić, D. Chemical Markers for the Authentication of Unifloral *Salvia officinalis* L. Honey. *J. Food Compos. Anal.* **2015**, *44*(128–138), 128–138. DOI: [10.1016/j.jfca.2015.08.008](https://doi.org/10.1016/j.jfca.2015.08.008).
- [56] Rodríguez-Bermúdez, R.; López-Alonso, M.; Miranda, M.; Fouz, R.; Orjales, I.; Herrero-Latorre, C. Chemometric Authentication of the Organic Status of Milk on the Basis of Trace Element Content. *Food Chem.* **2018**, *240* (May 2017), 686–693. DOI: [10.1016/j.foodchem.2017.08.011](https://doi.org/10.1016/j.foodchem.2017.08.011).
- [57] Karabagias, I. K.; Louppis, A. P.; Karabournioti, S.; Kontakos, S.; Papastefanou, C.; Kontominas, M. G. Characterization and Geographical Discrimination of Commercial Citrus Spp. Honeys Produced in Different Mediterranean Countries Based on Minerals, Volatile Compounds and Physicochemical Parameters, Using Chemometrics. *Food Chem.* **2017**, *217*, 445–455. DOI: [10.1016/j.foodchem.2016.08.124](https://doi.org/10.1016/j.foodchem.2016.08.124).
- [58] Sánchez-López, E.; Sánchez-Rodríguez, M. I.; Marinas, A.; Marinas, J. M.; Urbano, F. J.; Caridad, J. M.; Moalem, M. Chemometric Study of Andalusian Extra Virgin Olive Oils Raman Spectra: Qualitative and Quantitative Information. *Talanta.* **2016**, *156–157*, 180–190. DOI: [10.1016/j.talanta.2016.05.014](https://doi.org/10.1016/j.talanta.2016.05.014).
- [59] Casale, M.; Sinelli, N.; Oliveri, P.; Di Egidio, V.; Lanteri, S. Chemometrical Strategies for Feature Selection and Data Compression Applied to NIR and MIR Spectra of Extra Virgin Olive Oils for Cultivar Identification. *Talanta.* **2010**, *80*(5), 1832–1837. DOI: [10.1016/j.talanta.2009.10.030](https://doi.org/10.1016/j.talanta.2009.10.030).
- [60] López-Cortés, I.; Salazar-García, D. C.; Malheiro, R.; Guardiola, V.; Pereira, J. A. Chemometrics as a Tool to Discriminate Geographical Origin of *Cyperus Esculentus* L. Based on Chemical Composition. *Ind. Crop Prod.* **2013**, *51*, 19–25. DOI: [10.1016/j.indcrop.2013.08.061](https://doi.org/10.1016/j.indcrop.2013.08.061).
- [61] Locatelli, M.; Coisson, J. D.; Travaglia, F.; Cereti, E.; Garino, C.; D’Andrea, M.; Martelli, A.; Arlorio, M. Chemotype and Genotype Chemometrical Evaluation Applied to Authentication and Traceability of “Tonda Gentile Trilobata” Hazelnuts from Piedmont (Italy). *Food Chem.* **2011**, *129*(4), 1865–1873. DOI: [10.1016/j.foodchem.2011.05.134](https://doi.org/10.1016/j.foodchem.2011.05.134).
- [62] Laube, I.; Hird, H.; Brodmann, P.; Ullmann, S.; Schöne-Michling, M.; Chisholm, J.; Broll, H. Development of Primer and Probe Sets for the Detection of Plant Species in Honey. *Food Chem.* **2010**, *118*(4), 979–986. DOI: [10.1016/j.foodchem.2008.09.063](https://doi.org/10.1016/j.foodchem.2008.09.063).
- [63] Armani, A.; Guardone, L.; La Castellana, R.; Gianfaldoni, D.; Guidi, A.; Castigliano, L. DNA Barcoding Reveals Commercial and Health Issues in Ethnic Seafood Sold on the Italian Market. *Food Control.* **2015**, *55*, 206–214. DOI: [10.1016/j.foodcont.2015.02.030](https://doi.org/10.1016/j.foodcont.2015.02.030).
- [64] Armani, A.; Guardone, L.; Castigliano, L.; D’Amico, P.; Messina, A.; Malandra, R.; Gianfaldoni, D.; Guidi, A. DNA and Mini-DNA Barcoding for the Identification of Porgies Species (Family Sparidae) of Commercial Interest on the International Market. *Food Control.* **2015**, *50*, 589–596. DOI: [10.1016/j.foodcont.2014.09.025](https://doi.org/10.1016/j.foodcont.2014.09.025).
- [65] Dourtoglou, V.; Antonopoulos, A.; Dourtoglou, T.; Lalas, S. Discrimination of Varietal Wines according to Their Volatiles. *Food Chem.* **2014**, *159*, 181–187. DOI: [10.1016/j.foodchem.2014.03.032](https://doi.org/10.1016/j.foodchem.2014.03.032).
- [66] Hamdouche, Y.; Meile, J. C.; Nganou, D. N.; Durand, N.; Teyssier, C.; Montet, D. Discrimination of Post-Harvest Coffee Processing Methods by Microbial Ecology Analyses. *Food Control.* **2016**, *65*, 112–120. DOI: [10.1016/j.foodcont.2016.01.022](https://doi.org/10.1016/j.foodcont.2016.01.022).
- [67] Cheajesadagul, P.; Arnaudguilhem, C.; Shiowatana, J.; Siripinyanond, A.; Szpunar, J. Discrimination of Geographical Origin of Rice Based on Multi-Element Fingerprinting by High Resolution Inductively Coupled Plasma Mass Spectrometry. *Food Chem.* **2013**, *141*(4), 3504–3509. DOI: [10.1016/j.foodchem.2013.06.060](https://doi.org/10.1016/j.foodchem.2013.06.060).
- [68] Longobardi, F.; Casiello, G.; Cortese, M.; Perini, M.; Camin, F.; Catucci, L.; Agostiano, A. Discrimination of Geographical Origin of Lentils (*Lens Culinaris* Medik.) Using Isotope Ratio Mass Spectrometry Combined with Chemometrics. *Food Chem.* **2015**, *188*, 343–349. DOI: [10.1016/j.foodchem.2015.05.020](https://doi.org/10.1016/j.foodchem.2015.05.020).
- [69] Magdas, D. A.; Dehelean, A.; Feher, I.; Cristea, G.; Puscas, R.; Dan, S. D.; Cordea, D. V. Discrimination Markers for the Geographical and Species Origin of Raw Milk within Romania. *Int. Dairy J.* **2016**, *61*, 135–141. DOI: [10.1016/j.idairyj.2016.06.003](https://doi.org/10.1016/j.idairyj.2016.06.003).

- [70] Vermeulen, P.; Suman, M.; Fernández Pierna, J. A.; Baeten, V. Discrimination between Durum and Common Wheat Kernels Using near Infrared Hyperspectral Imaging. *J. Cereal Sci.* **2018**, *84*(June), 74–82. DOI: [10.1016/j.jcs.2018.10.001](https://doi.org/10.1016/j.jcs.2018.10.001).
- [71] Bigot, C.; Meile, J. C.; Kapitan, A.; Montet, D. Discriminating Organic and Conventional Foods by Analysis of Their Microbial Ecology: An Application on Fruits. *Food Control.* **2015**, *48*, 123–129. DOI: [10.1016/j.foodcont.2014.03.035](https://doi.org/10.1016/j.foodcont.2014.03.035).
- [72] Loewe, V.; Navarro-Cerrillo, R. M.; García-Olmo, J.; Riccioli, C.; Sánchez-Cuesta, R. Discriminant Analysis of Mediterranean Pine Nuts (*Pinus Pinea* L.) From Chilean Plantations by near Infrared Spectroscopy (NIRS). *Food Control.* **2017**, *73*, 634–643. DOI: [10.1016/j.foodcont.2016.09.012](https://doi.org/10.1016/j.foodcont.2016.09.012).
- [73] Ruiz-Aracama, A.; Goicoechea, E.; Guillén, M. D. Direct Study of Minor Extra-Virgin Olive Oil Components without Any Sample Modification. 1H NMR Multisuppression Experiment: A Powerful Tool. *Food Chem.* **2017**, *228*, 301–314. DOI: [10.1016/j.foodchem.2017.02.009](https://doi.org/10.1016/j.foodchem.2017.02.009).
- [74] Rutkowska, J.; Bialek, M.; Adamska, A.; Zbikowska, A. Differentiation of Geographical Origin of Cream Products in Poland according to Their Fatty Acid Profile. *Food Chem.* **2015**, *178*, 26–31. DOI: [10.1016/j.foodchem.2015.01.036](https://doi.org/10.1016/j.foodchem.2015.01.036).
- [75] Jolanta, K.; Maciej, K.; Remigiusz, P.; Prüffer, K.; Slawomir, K. Development of the Method for Identification of Selected Populations of Torpedo Scad, *Megalaspis Cordyla* (Linnaeus, 1758), Using Microsatellite DNA Analyses. CELFISH Project – Part 4. *Food Chem.* **2017**, *221*, 944–949. DOI: [10.1016/j.foodchem.2016.11.070](https://doi.org/10.1016/j.foodchem.2016.11.070).
- [76] Rossi, D.; Mioni, E.; Zancato, M.; Bettero, A.; Rossi, S. Development of a Tensiometric Model for Surface Energy Characterization of Raw Coffee Beans. *J. Food Eng.* **2012**, *112*(4), 352–357. DOI: [10.1016/j.jfoodeng.2012.04.006](https://doi.org/10.1016/j.jfoodeng.2012.04.006).
- [77] Durante, C.; Bertacchini, L.; Cocchi, M.; Manzini, D.; Marchetti, A.; Rossi, M. C.; Sighinolfi, S.; Tassi, L. Development of 87Sr/86Sr Maps as Targeted Strategy to Support Wine Quality. *Food Chem.* **2018**, *255* (August 2017), 139–146. DOI: [10.1016/j.foodchem.2018.02.084](https://doi.org/10.1016/j.foodchem.2018.02.084).
- [78] Alonso-Rebollo, A.; Ramos-Gómez, S.; Busto, M. D.; Ortega, N. Development and Optimization of an Efficient QPCR System for Olive Authentication in Edible Oils. *Food Chem.* **2017**, *232*, 827–835. DOI: [10.1016/j.foodchem.2017.04.078](https://doi.org/10.1016/j.foodchem.2017.04.078).
- [79] Santaclara, F. J.; Pérez-Martín, R. I.; Sotelo, C. G. Developed of a Method for the Genetic Identification of Ling Species (*Genypterus* Spp.) In Seafood Products by FINS Methodology. *Food Chem.* **2014**, *143*, 22–26. DOI: [10.1016/j.foodchem.2013.06.004](https://doi.org/10.1016/j.foodchem.2013.06.004).
- [80] Bönick, J.; Huschek, G.; Rawel, H. M. Determination of Wheat, Rye and Spelt Authenticity in Bread by Targeted Peptide Biomarkers. *J. Food Compos. Anal.* **2017**, *58*, 82–91. DOI: [10.1016/j.jfca.2017.01.019](https://doi.org/10.1016/j.jfca.2017.01.019).
- [81] Salvatore, E.; Cocchi, M.; Marchetti, A.; Marini, F.; De Juan, A. Determination of Phenolic Compounds and Authentication of PDO Lambrusco Wines by HPLC-DAD and Chemometric Techniques. *Anal. Chim. Acta.* **2013**, *761*, 34–45. DOI: [10.1016/j.aca.2012.11.015](https://doi.org/10.1016/j.aca.2012.11.015).
- [82] Sighinolfi, S.; Baneschi, I.; Manzini, S.; Tassi, L.; Dallai, L.; Marchetti, A. Determination of Glycerol Carbon Stable Isotope Ratio for the Characterization of Italian Balsamic Vinegars. *J. Food Compos. Anal.* **2018**, *69*(January), 33–38. DOI: [10.1016/j.jfca.2018.02.002](https://doi.org/10.1016/j.jfca.2018.02.002).
- [83] Ramos-Gómez, S.; Busto, M. D.; Albillos, S. M.; Ortega, N. Novel QPCR Systems for Olive (*Olea Europaea* L.) Authentication in Oils and Food. *Food Chem.* **2016**, *194*, 447–454. DOI: [10.1016/j.foodchem.2015.08.036](https://doi.org/10.1016/j.foodchem.2015.08.036).
- [84] Soares, S.; Grazina, L.; Mafra, I.; Costa, J.; Pinto, M. A.; Duc, H. P.; Oliveira, M. B. P. P.; Amaral, J. S. Novel Diagnostic Tools for Asian (*Apis Cerana*) and European (*Apis Mellifera*) Honey Authentication. *Food Res. Int.* **2018**, *105*(November 2017), 686–693. DOI: [10.1016/j.foodres.2017.11.081](https://doi.org/10.1016/j.foodres.2017.11.081).
- [85] Fotakis, C.; Zervou, M. NMR Metabolic Fingerprinting and Chemometrics Driven Authentication of Greek Grape Marc Spirits. *Food Chem.* **2016**, *196*, 760–768. DOI: [10.1016/j.foodchem.2015.10.002](https://doi.org/10.1016/j.foodchem.2015.10.002).
- [86] Consonni, R.; Cagliani, L. R.; Cogliati, C. NMR Based Geographical Characterization of Roasted Coffee. *Talanta.* **2012**, *88*, 420–426. DOI: [10.1016/j.talanta.2011.11.010](https://doi.org/10.1016/j.talanta.2011.11.010).
- [87] Mannina, L.; Marini, F.; Gobino, M.; Sobolev, A. P.; Capitani, D. NMR and Chemometrics in Tracing European Olive Oils: The Case Study of Ligurian Samples. *Talanta.* **2010**, *80*(5), 2141–2148. DOI: [10.1016/j.talanta.2009.11.021](https://doi.org/10.1016/j.talanta.2009.11.021).
- [88] Chiappetta, A.; Muto, A.; Muzzalupo, R.; Muzzalupo, I. New Rapid Procedure for Genetic Characterization of Italian Wild Olive (*Olea Europaea*) and Traceability of Virgin Olive Oils by Means of SSR Markers. *Sci. Hortic. (Amsterdam).* **2017**, *226*(August), 42–49. DOI: [10.1016/j.scienta.2017.08.022](https://doi.org/10.1016/j.scienta.2017.08.022).
- [89] Naccarato, A.; Furia, E.; Sindona, G.; Tagarelli, A. Multivariate Class Modeling Techniques Applied to Multielement Analysis for the Verification of the Geographical Origin of Chili Pepper. *Food Chem.* **2016**, *206*, 217–222. DOI: [10.1016/j.foodchem.2016.03.072](https://doi.org/10.1016/j.foodchem.2016.03.072).
- [90] Alonso-Salces, R. M.; Héberger, K.; Holland, M. V.; Moreno-Rojas, J. M.; Mariani, C.; Bellan, G.; Reniero, F.; Guillou, C. Multivariate Analysis of NMR Fingerprint of the Unsaponifiable Fraction of Virgin Olive Oils for Authentication Purposes. *Food Chem.* **2010**, *118*(4), 956–965. DOI: [10.1016/j.foodchem.2008.09.061](https://doi.org/10.1016/j.foodchem.2008.09.061).
- [91] Pascoal, A.; Barros-Velázquez, J.; Ortea, I.; Cepeda, A.; Gallardo, J. M.; Calo-Mata, P. Molecular Identification of the Black Tiger Shrimp (*Penaeus Monodon*), the White Leg Shrimp (*Litopenaeus Vannamei*) and the Indian

- White Shrimp (*Fenneropenaeus Indicus*) by PCR Targeted to the 16S RRNA MtDNA. *Food Chem.* **2011**, *125*(4), 1457–1461. DOI: [10.1016/j.foodchem.2010.10.053](https://doi.org/10.1016/j.foodchem.2010.10.053).
- [92] Bosmali, I.; Ganopoulos, I.; Madesis, P.; Tsaftaris, A. Microsatellite and DNA-Barcode Regions Typing Combined with High Resolution Melting (HRM) Analysis for Food Forensic Uses: A Case Study on Lentils (*Lens Culinaris*). *Food Res. Int.* **2012**, *46*(1), 141–147. DOI: [10.1016/j.foodres.2011.12.013](https://doi.org/10.1016/j.foodres.2011.12.013).
- [93] Rolli, J.; Girardet, S.; Monachon, C.; Richard, C.; Microsatellite Analysis of Perch (*Perca Fluviatilis*) and Its Genetic Authentication of Geographical Localization. *Chimia (Aarau).* **2014**, *68*(10), 726–731. DOI: [10.2533/chimia.2014.726](https://doi.org/10.2533/chimia.2014.726).
- [94] Pérez, M.; Santafé-Muñoz, A. M.; Balado, M.; Presa, P. Methodological Evaluation of DNA-Based Molecular Keys to Identify Categories of Mislabelling in Commercial Products from Genus *Merluccius* Spp. *Food Chem.* **2018**, *239*, 640–648. DOI: [10.1016/j.foodchem.2017.06.138](https://doi.org/10.1016/j.foodchem.2017.06.138).
- [95] Medini, S.; Janin, M.; Verdoux, P.; Techer, I. Methodological Development for ⁸⁷Sr/⁸⁶Sr Measurement in Olive Oil and Preliminary Discussion of Its Use for Geographical Traceability of PDO Nîmes (France). *Food Chem.* **2015**, *171*, 78–83. DOI: [10.1016/j.foodchem.2014.08.121](https://doi.org/10.1016/j.foodchem.2014.08.121).
- [96] Díaz, R.; Pozo, O. J.; Sancho, J. V.; Hernández, F. Metabolomic Approaches for Orange Origin Discrimination by Ultra-High Performance Liquid Chromatography Coupled to Quadrupole Time-of-Flight Mass Spectrometry. *Food Chem.* **2014**, *157*, 84–93. DOI: [10.1016/j.foodchem.2014.02.009](https://doi.org/10.1016/j.foodchem.2014.02.009).
- [97] Montero, L.; Ibáñez, E.; Russo, M.; Di Sanzo, R.; Rastrelli, L.; Piccinelli, A. L.; Celano, R.; Cifuentes, A.; Herrero, M. Metabolite Profiling of Licorice (*Glycyrrhiza Glabra*) from Different Locations Using Comprehensive Two-Dimensional Liquid Chromatography Coupled to Diode Array and Tandem Mass Spectrometry Detection. *Anal. Chim. Acta.* **2016**, *913*, 145–159. DOI: [10.1016/j.aca.2016.01.040](https://doi.org/10.1016/j.aca.2016.01.040).
- [98] Martínez-Lozano Sinues, P.; Alonso-Salces, R. M.; Zingaro, L.; Finiguerra, A.; Holland, M. V.; Guillou, C.; Cristoni, S. Mass Spectrometry Fingerprinting Coupled to National Institute of Standards and Technology Mass Spectral Search Algorithm for Pattern Recognition. *Anal. Chim. Acta.* **2012**, *755*, 28–36. DOI: [10.1016/j.aca.2012.10.018](https://doi.org/10.1016/j.aca.2012.10.018).
- [99] Abou-el-karam, S.; Ratel, J.; Kondjoyan, N.; Truan, C.; Engel, E. Marker Discovery in Volatolomics Based on Systematic Alignment of GC-MS Signals: Application to Food Authentication. *Anal. Chim. Acta.* **2017**, *991*, 58–67. DOI: [10.1016/j.aca.2017.08.019](https://doi.org/10.1016/j.aca.2017.08.019).
- [100] Di Stasio, L.; Piatti, P.; Fontanella, E.; Testa, S.; Bigi, D.; Lasagna, E.; Pauciullo, A. Lamb Meat Traceability: The Case of Sambucana Sheep. *Small Rumin. Res.* **2017**, *149*, 85–90. DOI: [10.1016/j.smallrumres.2017.01.013](https://doi.org/10.1016/j.smallrumres.2017.01.013).
- [101] Defernez, M.; Wren, E.; Watson, A. D.; Gunning, Y.; Colquhoun, I. J.; Le Gall, G.; Williamson, D.; Kemsley, E. K. Low-Field ¹H NMR Spectroscopy for Distinguishing between Arabica and Robusta Ground Roast Coffees. *Food Chem.* **2017**, *216*, 106–113. DOI: [10.1016/j.foodchem.2016.08.028](https://doi.org/10.1016/j.foodchem.2016.08.028).
- [102] Wang, Y. V.; Wan, A. H. L.; Lock, E. J.; Andersen, N.; Winter-Schuh, C.; Larsen, T. Know Your Fish: A Novel Compound-Specific Isotope Approach for Tracing Wild and Farmed Salmon. *Food Chem.* **2018**, *256* (October 2017), 380–389. DOI: [10.1016/j.foodchem.2018.02.095](https://doi.org/10.1016/j.foodchem.2018.02.095).
- [103] Fragni, R.; Trifirò, A.; Nucci, A.; Seno, A.; Allodi, A.; Di Rocco, M. Italian Tomato-Based Products Authentication by Multi-Element Approach: A Mineral Elements Database to Distinguish the Domestic Provenance. *Food Control.* **2018**, *93*(June), 211–218. DOI: [10.1016/j.foodcont.2018.06.002](https://doi.org/10.1016/j.foodcont.2018.06.002).
- [104] Bizjak Bat, K.; Eler, K.; Mazej, D.; Mozetič Vodopivec, B.; Mulič, I.; Kump, P.; Ogrinc, N. Isotopic and Elemental Characterisation of Slovenian Apple Juice according to Geographical Origin: Preliminary Results. *Food Chem.* **2016**, *203*, 86–94. DOI: [10.1016/j.foodchem.2016.02.039](https://doi.org/10.1016/j.foodchem.2016.02.039).
- [105] Chiochini, F.; Portarena, S.; Ciolfi, M.; Brugnoli, E.; Lauteri, M. Isoscapes of Carbon and Oxygen Stable Isotope Compositions in Tracing Authenticity and Geographical Origin of Italian Extra-Virgin Olive Oils. *Food Chem.* **2016**, *202*, 291–301. DOI: [10.1016/j.foodchem.2016.01.146](https://doi.org/10.1016/j.foodchem.2016.01.146).
- [106] Laursen, K. H.; Mihailova, A.; Kelly, S. D.; Epov, V. N.; Beraïl, S.; Schjoerring, J. K.; Donard, O. F. X.; Larsen, E. H.; Pedentchouk, N.; Marca-Bell, A. D.; et al. Is It Really Organic? - Multi-Isotopic Analysis as a Tool to Discriminate between Organic and Conventional Plants. *Food Chem.* **2013**, *141*(3), 2812–2820. DOI: [10.1016/j.foodchem.2013.05.068](https://doi.org/10.1016/j.foodchem.2013.05.068).
- [107] Akhatou, I.; González-Domínguez, R.; Fernández-Recamales, Á. Investigation of the Effect of Genotype and Agronomic Conditions on Metabolomic Profiles of Selected Strawberry Cultivars with Different Sensitivity to Environmental Stress. *Plant Physiol. Biochem.* **2016**, *101*, 14–22. DOI: [10.1016/j.plaphy.2016.01.016](https://doi.org/10.1016/j.plaphy.2016.01.016).
- [108] Ortea, I.; Gallardo, J. M. Investigation of Production Method, Geographical Origin and Species Authentication in Commercially Relevant Shrimps Using Stable Isotope Ratio And/or Multi-Element Analyses Combined with Chemometrics: An Exploratory Analysis. *Food Chem.* **2015**, *170*, 145–153. DOI: [10.1016/j.foodchem.2014.08.049](https://doi.org/10.1016/j.foodchem.2014.08.049).
- [109] Alissandrakis, E.; Tarantilis, P. A.; Pappas, C.; Harizanis, P. C.; Polissiou, M. Investigation of Organic Extractives from Unifloral Chestnut (*Castanea Sativa* L.) And Eucalyptus (*Eucalyptus Globulus* Labill.) Honeys and Flowers to Identification of Botanical Marker Compounds. *LWT - Food Sci. Technol.* **2011**, *44*(4), 1042–1051. DOI: [10.1016/j.lwt.2010.10.002](https://doi.org/10.1016/j.lwt.2010.10.002).
- [110] Valenti, B.; Martin, B.; Andueza, D.; Leroux, C.; Labonne, C.; Lahalle, F.; Larroque, H.; Brunschwig, P.; Lecomte, C.; Brochard, M.; et al. Infrared Spectroscopic Methods for the Discrimination of Cows' Milk according

- to the Feeding System, Cow Breed and Altitude of the Dairy Farm. *Int. Dairy J.* **2013**, *32*(1), 26–32. DOI: [10.1016/j.idairyj.2013.02.014](https://doi.org/10.1016/j.idairyj.2013.02.014).
- [111] Prevc, T.; Šegatin, N.; Kralj, P.; Poklar Ulrih, N.; Cigić, B. Influence of Metal Ions and Phospholipids on Electrical Properties: A Case Study on Pumpkin Seed Oil. *Food Control.* **2015**, *54*, 287–293. DOI: [10.1016/j.foodcont.2015.01.040](https://doi.org/10.1016/j.foodcont.2015.01.040).
- [112] Lafhal, S.; Vanloot, P.; Bombarda, I.; Kister, J.; Dupuy, N. Identification of Metabolomic Markers of Lavender and Lavandin Essential Oils Using Mid-Infrared Spectroscopy. *Vib. Spectrosc.* **2016**, *85*, 79–90. DOI: [10.1016/j.vibspec.2016.04.004](https://doi.org/10.1016/j.vibspec.2016.04.004).
- [113] Sørensen, S.; Lund, K. H.; Cederberg, T. L.; Ballin, N. Z. Identification of Baltic Sea Salmon Based on PCB and Dioxin Profiles. *Food Control.* **2016**, *61*, 165–171. DOI: [10.1016/j.foodcont.2015.09.044](https://doi.org/10.1016/j.foodcont.2015.09.044).
- [114] Marseglia, A.; Acquotti, D.; Consonni, R.; Cagliani, L. R.; Palla, G.; Caligiani, A. HR MAS 1H NMR and Chemometrics as Useful Tool to Assess the Geographical Origin of Cocoa Beans - Comparison with HR 1H NMR. *Food Res. Int.* **2016**, *85*, 273–281. DOI: [10.1016/j.foodres.2016.05.001](https://doi.org/10.1016/j.foodres.2016.05.001).
- [115] Schipilliti, L.; Dugo, P.; Bonaccorsi, I.; Mondello, L. Headspace-Solid Phase Microextraction Coupled to Gas Chromatography-Combustion-Isotope Ratio Mass Spectrometer and to Enantioselective Gas Chromatography for Strawberry Flavoured Food Quality Control. *J. Chromatogr. A.* **2011**, *1218*(42), 7481–7486. DOI: [10.1016/j.chroma.2011.07.072](https://doi.org/10.1016/j.chroma.2011.07.072).
- [116] Bosmali, I.; Ordoudi, S. A.; Tsimidou, M. Z.; Madesis, P. Greek PDO Saffron Authentication Studies Using Species Specific Molecular Markers. *Food Res. Int.* **2017**, *100*(July), 899–907. DOI: [10.1016/j.foodres.2017.08.001](https://doi.org/10.1016/j.foodres.2017.08.001).
- [117] Nescatelli, R.; Bonanni, R. C.; Bucci, R.; Magri, A. L.; Magri, A. D.; Marini, F. Geographical Traceability of Extra Virgin Olive Oils from Sabina PDO by Chromatographic Fingerprinting of the Phenolic Fraction Coupled to Chemometrics. *Chemom. Intell. Lab. Syst.* **2014**, *139*, 175–180. DOI: [10.1016/j.chemolab.2014.09.012](https://doi.org/10.1016/j.chemolab.2014.09.012).
- [118] González, A.; Armenta, S.; De La Guardia, M. Geographical Traceability of “Arroz De Valencia” Rice Grain Based on Mineral Element Composition. *Food Chem.* **2011**, *126*(3), 1254–1260. DOI: [10.1016/j.foodchem.2010.11.032](https://doi.org/10.1016/j.foodchem.2010.11.032).
- [119] Geana, I.; Iordache, A.; Ionete, R.; Marinescu, A.; Ranca, A.; Culea, M. Geographical Origin Identification of Romanian Wines by ICP-MS Elemental Analysis. *Food Chem.* **2013**, *138*(2–3), 1125–1134. DOI: [10.1016/j.foodchem.2012.11.104](https://doi.org/10.1016/j.foodchem.2012.11.104).
- [120] Palacios-Morillo, A.; Jurado, J. M.; Alcázar, Á.; De Pablos, F. Geographical Characterization of Spanish PDO Paprika by Multivariate Analysis of Multielemental Content. *Talanta.* **2014**, *128*, 15–22. DOI: [10.1016/j.talanta.2014.04.025](https://doi.org/10.1016/j.talanta.2014.04.025).
- [121] Nescatelli, R.; Carradori, S.; Marini, F.; Caponigro, V.; Bucci, R.; De Monte, C.; Mollica, A.; Mannina, L.; Ceruso, M.; Supuran, C. T.; et al. Geographical Characterization by MAE-HPLC and NIR Methodologies and Carbonic Anhydrase Inhibition of Saffron Components. *Food Chem.* **2017**, *221*, 855–863. DOI: [10.1016/j.foodchem.2016.11.086](https://doi.org/10.1016/j.foodchem.2016.11.086).
- [122] Zannella, C.; Carucci, F.; Aversano, R.; Prohaska, T.; Vingiani, S.; Carputo, D.; Adamo, P. Genetic and Geochemical Signatures to Prevent Frauds and Counterfeit of High-Quality Asparagus and Pistachio. *Food Chem.* **2017**, *237*, 545–552. DOI: [10.1016/j.foodchem.2017.05.158](https://doi.org/10.1016/j.foodchem.2017.05.158).
- [123] Danezis, G. P.; Pappas, A. C.; Zoidis, E.; Papadomichelakis, G.; Hadjigeorgiou, I.; Zhang, P.; Brusic, V.; Georgiou, C. A. Game Meat Authentication through Rare Earth Elements Fingerprinting. *Anal. Chim. Acta.* **2017**, *991*, 46–57. DOI: [10.1016/j.aca.2017.09.013](https://doi.org/10.1016/j.aca.2017.09.013).
- [124] Castro-Vázquez, L.; Leon-Ruiz, V.; Alañon, M. E.; Pérez-Coello, M. S.; González-Porto, A. V. Floral Origin Markers for Authenticating Lavandin Honey (*Lavandula Angustifolia* X *Latifolia*). Discrimination from Lavender Honey (*Lavandula Latifolia*). *Food Control.* **2014**, *37*(1), 362–370. DOI: [10.1016/j.foodcont.2013.09.003](https://doi.org/10.1016/j.foodcont.2013.09.003).
- [125] Karabagias, I. K.; Vavoura, M. V.; Nikolaou, C.; Badeka, A. V.; Kontakos, S.; Kontominas, M. G. Floral Authentication of Greek Unifloral Honeys Based on the Combination of Phenolic Compounds, Physicochemical Parameters and Chemometrics. *Food Res. Int.* **2014**, *62*, 753–760. DOI: [10.1016/j.foodres.2014.04.015](https://doi.org/10.1016/j.foodres.2014.04.015).
- [126] Potočník, T.; Ogrinc, N.; Potočník, D.; Košir, I. J. Fatty Acid Composition and $\delta^{13}\text{C}$ Isotopic Ratio Characterisation of Pumpkin Seed Oil. *J. Food Compos. Anal.* **2016**, *53*, 85–90. DOI: [10.1016/j.jfca.2016.09.005](https://doi.org/10.1016/j.jfca.2016.09.005).
- [127] Manfredi, M.; Robotti, E.; Quasso, F.; Mazzucco, E.; Calabrese, G.; Marengo, E. Fast Classification of Hazelnut Cultivars through Portable Infrared Spectroscopy and Chemometrics. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* **2018**, *189*, 427–435. DOI: [10.1016/j.saa.2017.08.050](https://doi.org/10.1016/j.saa.2017.08.050).
- [128] Acierno, V.; Yener, S.; Alewijn, M.; Biasioli, F.; Van Ruth, S. Factors Contributing to the Variation in the Volatile Composition of Chocolate: Botanical and Geographical Origins of the Cocoa Beans, and Brand-Related Formulation and Processing. *Food Res. Int.* **2016**, *84*, 86–95. DOI: [10.1016/j.foodres.2016.03.022](https://doi.org/10.1016/j.foodres.2016.03.022).
- [129] Muñoz-Colmenero, M.; Klett-Mingo, M.; Díaz, E.; Blanco, O.; Martínez, J. L.; García-Vázquez, E. Evolution of Hake Mislabeling Niches in Commercial Markets. *Food Control.* **2015**, *54*, 267–274. DOI: [10.1016/j.foodcont.2015.02.006](https://doi.org/10.1016/j.foodcont.2015.02.006).
- [130] Su, W. H.; Sun, D. W. Evaluation of Spectral Imaging for Inspection of Adulterants in Terms of Common Wheat Flour, Cassava Flour and Corn Flour in Organic Avatar Wheat (*Triticum* Spp.) Flour. *J. Food Eng.* **2017**, *200*, 59–69. DOI: [10.1016/j.jfoodeng.2016.12.014](https://doi.org/10.1016/j.jfoodeng.2016.12.014).

- [131] Petrakis, E. A.; Cagliani, L. R.; Polissiou, M. G.; Consonni, R. Evaluation of Saffron (*Crocus Sativus* L.) Adulteration with Plant Adulterants By¹H NMR Metabolite Fingerprinting. *Food Chem.* **2015**, *173*, 890–896. DOI: [10.1016/j.foodchem.2014.10.107](https://doi.org/10.1016/j.foodchem.2014.10.107).
- [132] Mottese, A. F.; Albergamo, A.; Bartolomeo, G.; Bua, G. D.; Rando, R.; De Pasquale, P.; Saija, E.; Donato, D.; Dugo, G. Evaluation of Fatty Acids and Inorganic Elements by Multivariate Statistics for the Traceability of the Sicilian Capparis Spinosa L. *J. Food Compos. Anal.* **2018**, *72*(May), 66–74. DOI: [10.1016/j.jfca.2018.05.009](https://doi.org/10.1016/j.jfca.2018.05.009).
- [133] Bajoub, A.; Ajal, E. A.; Fernández-Gutiérrez, A.; Carrasco-Pancorbo, A. Evaluating the Potential of Phenolic Profiles as Discriminant Features among Extra Virgin Olive Oils from Moroccan Controlled Designations of Origin. *Food Res. Int.* **2016**, *84*, 41–51. DOI: [10.1016/j.foodres.2016.03.010](https://doi.org/10.1016/j.foodres.2016.03.010).
- [134] Pérez, N. F.; Boqué, R.; Ferré, J. Establishment of Multivariate Specifications for Food Commodities with Discriminant Partial Least Squares. *Talanta*. **2010**, *83*(2), 475–481. DOI: [10.1016/j.talanta.2010.09.037](https://doi.org/10.1016/j.talanta.2010.09.037).
- [135] Silva, P.; Freitas, J.; Silva, C. L.; Perestrelo, R.; Nunes, F. M.; Câmara, J. S. Establishment of Authenticity and Typicality of Sugarcane Honey Based on Volatile Profile and Multivariate Analysis. *Food Control*. **2017**, *73*, 1176–1188. DOI: [10.1016/j.foodcont.2016.10.035](https://doi.org/10.1016/j.foodcont.2016.10.035).
- [136] Oliveira, M.; Ramos, S.; Delerue-Matos, C.; Morais, S. Espresso Beverages of Pure Origin Coffee: Mineral Characterization, Contribution for Mineral Intake and Geographical Discrimination. *Food Chem.* **2015**, *177*, 330–338. DOI: [10.1016/j.foodchem.2015.01.061](https://doi.org/10.1016/j.foodchem.2015.01.061).
- [137] Zuccato, V.; Finotello, C.; Menegazzo, I.; Peccolo, G.; Schievano, E. Entomological Authentication of Stingless Bee Honey by ¹H NMR-Based Metabolomics Approach. *Food Control*. **2017**, *82*, 145–153. DOI: [10.1016/j.foodcont.2017.06.024](https://doi.org/10.1016/j.foodcont.2017.06.024).
- [138] Rodrigues, S. M.; Otero, M.; Alves, A. A.; Coimbra, J.; Coimbra, M. A.; Pereira, E.; Duarte, A. C. Elemental Analysis for Categorization of Wines and Authentication of Their Certified Brand of Origin. *J. Food Compos. Anal.* **2011**, *24*(4–5), 548–562. DOI: [10.1016/j.jfca.2010.12.003](https://doi.org/10.1016/j.jfca.2010.12.003).
- [139] Perini, M.; Camin, F.; Sánchez Del Pulgar, J.; Piasentier, E. Effect of Origin, Breeding and Processing Conditions on the Isotope Ratios of Bioelements in Dry-Cured Ham. *Food Chem.* **2013**, *136*(3–4), 1543–1550. DOI: [10.1016/j.foodchem.2012.06.084](https://doi.org/10.1016/j.foodchem.2012.06.084).
- [140] Castro-Vázquez, L.; Díaz-Maroto, M. C.; De Torres, C.; Pérez-Coello, M. S. Effect of Geographical Origin on the Chemical and Sensory Characteristics of Chestnut Honey. *Food Res. Int.* **2010**, *43*(10), 2335–2340. DOI: [10.1016/j.foodres.2010.07.007](https://doi.org/10.1016/j.foodres.2010.07.007).
- [141] Sârbru, C.; Moț, A. C. Ecosystem Discrimination and Fingerprinting of Romanian Propolis by Hierarchical Fuzzy Clustering and Image Analysis of TLC Patterns. *Talanta*. **2011**, *85*(2), 1112–1117. DOI: [10.1016/j.talanta.2011.05.030](https://doi.org/10.1016/j.talanta.2011.05.030).
- [142] Mahne Opatić, A.; Nečemer, M.; Lojen, S.; Masten, J.; Zlatić, E.; Šircelj, H.; Stopar, D.; Vidrih, R. Determination of Geographical Origin of Commercial Tomato through Analysis of Stable Isotopes, Elemental Composition and Chemical Markers. *Food Control*. **2018**, *89*, 133–141. DOI: [10.1016/j.foodcont.2017.11.013](https://doi.org/10.1016/j.foodcont.2017.11.013).
- [143] Biancolillo, A.; Bucci, R.; Magri, A. L.; Magri, A. D.; Marini, F. Data-Fusion for Multiplatform Characterization of an Italian Craft Beer Aimed at Its Authentication. *Anal. Chim. Acta*. **2014**, *820*, 23–31. DOI: [10.1016/j.aca.2014.02.024](https://doi.org/10.1016/j.aca.2014.02.024).
- [144] Drivelos, S. A.; Higgins, K.; Kalivas, J. H.; Haroutounian, S. A.; Georgiou, C. A. Data Fusion for Food Authentication. Combining Rare Earth Elements and Trace Metals to Discriminate “Fava Santorinis” from Other Yellow Split Peas Using Chemometric Tools. *Food Chem.* **2014**, *165*, 316–322. DOI: [10.1016/j.foodchem.2014.03.083](https://doi.org/10.1016/j.foodchem.2014.03.083).
- [145] Rocchi, R.; Mascini, M.; Sergi, M.; Compagnone, D.; Mastrocola, D.; Pittia, P. Crocins Pattern in Saffron Detected by UHPLC-MS/MS as Marker of Quality, Process and Traceability. *Food Chem.* **2018**, *264*(April), 241–249. DOI: [10.1016/j.foodchem.2018.04.111](https://doi.org/10.1016/j.foodchem.2018.04.111).
- [146] Mandrile, L.; Zeppa, G.; Giovannozzi, A. M.; Rossi, A. M. Controlling Protected Designation of Origin of Wine by Raman Spectroscopy. *Food Chem.* **2016**, *211*, 260–267. DOI: [10.1016/j.foodchem.2016.05.011](https://doi.org/10.1016/j.foodchem.2016.05.011).
- [147] Pérez Trujillo, J. P.; Conde, J. E.; Pérez Pont, M. L.; Câmara, J.; Marques, J. C. Content in Metallic Ions of Wines from the Madeira and Azores Archipelagos. *Food Chem.* **2011**, *124*(2), 533–537. DOI: [10.1016/j.foodchem.2010.06.065](https://doi.org/10.1016/j.foodchem.2010.06.065).
- [148] Marti, G.; Boccard, J.; Mehl, F.; Debrus, B.; Marcourt, L.; Merle, P.; Delort, E.; Baroux, L.; Sommer, H.; Rudaz, S.; et al. Comprehensive Profiling and Marker Identification in Non-Volatile Citrus Oil Residues by Mass Spectrometry and Nuclear Magnetic Resonance. *Food Chem.* **2014**, *150*, 235–245. DOI: [10.1016/j.foodchem.2013.10.103](https://doi.org/10.1016/j.foodchem.2013.10.103).
- [149] Wernig, F.; Buegger, F.; Pritsch, K.; Spilvallo, R. Composition and Authentication of Commercial and Home-Made White Truffle-Flavored Oils. *Food Control*. **2018**, *87*, 9–16. DOI: [10.1016/j.foodcont.2017.11.045](https://doi.org/10.1016/j.foodcont.2017.11.045).
- [150] Goitom Asfaha, D.; Quérel, C. R.; Thomas, F.; Horacek, M.; Wimmer, B.; Heiss, G.; Dekant, C.; Deters-Itzelsberger, P.; Hoelzl, S.; Rummel, S.; et al. Combining Isotopic Signatures of N(87 Sr)/n(86 Sr) and Light Stable Elements (C, N, O, S) with Multi-Elemental Profiling for the Authentication of Provenance of European Cereal Samples. *J. Cereal Sci.* **2011**, *53*(2), 170–177. DOI: [10.1016/j.jcs.2010.11.004](https://doi.org/10.1016/j.jcs.2010.11.004).

- [151] Erich, S.; Schill, S.; Annweiler, E.; Waiblinger, H. U.; Kuballa, T.; Lachenmeier, D. W.; Monakhova, Y. B. Combined Chemometric Analysis of ¹H NMR, ¹³C NMR and Stable Isotope Data to Differentiate Organic and Conventional Milk. *Food Chem.* **2015**, *188*, 1–7. DOI: [10.1016/j.foodchem.2015.04.118](https://doi.org/10.1016/j.foodchem.2015.04.118).
- [152] Sayago, A.; González-Domínguez, R.; Beltrán, R.; Fernández-Recamales, Á. Combination of Complementary Data Mining Methods for Geographical Characterization of Extra Virgin Olive Oils Based on Mineral Composition. *Food Chem.* **2018**, *261*(April), 42–50. DOI: [10.1016/j.foodchem.2018.04.019](https://doi.org/10.1016/j.foodchem.2018.04.019).
- [153] Tuberoso, C. I. G.; Jerković, I.; Sarais, G.; Congiu, F.; Marijanović, Z.; Kuš, P. M. Color Evaluation of Seventeen European Unifloral Honey Types by Means of Spectrophotometrically Determined CIE L [∞] - Cab [∞] - Hab [∞] Chromaticity Coordinates. *Food Chem.* **2014**, *145*, 284–291. DOI: [10.1016/j.foodchem.2013.08.032](https://doi.org/10.1016/j.foodchem.2013.08.032).
- [154] Pizarro, C.; Rodríguez-Tecedor, S.; Pérez-Del-Notario, N.; Esteban-Díez, I.; González-Sáiz, J. M. Classification of Spanish Extra Virgin Olive Oils by Data Fusion of Visible Spectroscopic Fingerprints and Chemical Descriptors. *Food Chem.* **2013**, *138*(2–3), 915–922. DOI: [10.1016/j.foodchem.2012.11.087](https://doi.org/10.1016/j.foodchem.2012.11.087).
- [155] Jurado, J. M.; Alcázar, Á.; Palacios-Morillo, A.; De Pablos, F. Classification of Spanish DO White Wines according to Their Elemental Profile by Means of Support Vector Machines. *Food Chem.* **2012**, *135*(3), 898–903. DOI: [10.1016/j.foodchem.2012.06.017](https://doi.org/10.1016/j.foodchem.2012.06.017).
- [156] Geana, E. I.; Popescu, R.; Costinel, D.; Dinca, O. R.; Ionete, R. E.; Stefanescu, I.; Artem, V.; Bala, C. Classification of Red Wines Using Suitable Markers Coupled with Multivariate Statistic Analysis. *Food Chem.* **2016**, *192*, 1015–1024. DOI: [10.1016/j.foodchem.2015.07.112](https://doi.org/10.1016/j.foodchem.2015.07.112).
- [157] Longobardi, F.; Ventrella, A.; Napoli, C.; Humpfer, E.; Schütz, B.; Schäfer, H.; Kontominas, M. G.; Sacco, A. Classification of Olive Oils according to Geographical Origin by Using ¹H NMR Fingerprinting Combined with Multivariate Analysis. *Food Chem.* **2012**, *130*(1), 177–183. DOI: [10.1016/j.foodchem.2011.06.045](https://doi.org/10.1016/j.foodchem.2011.06.045).
- [158] Costas-Rodríguez, M.; Lavilla, I.; Bendicho, C. Classification of Cultivated Mussels from Galicia (Northwest Spain) with European Protected Designation of Origin Using Trace Element Fingerprint and Chemometric Analysis. *Anal. Chim. Acta.* **2010**, *664*(2), 121–128. DOI: [10.1016/j.aca.2010.03.003](https://doi.org/10.1016/j.aca.2010.03.003).
- [159] Verzera, A.; Tripodi, G.; Conduro, C.; Dima, G.; Marra, A. Chiral Volatile Compounds for the Determination of Orange Honey Authenticity. *Food Control.* **2014**, *39*(1), 237–243. DOI: [10.1016/j.foodcont.2013.11.012](https://doi.org/10.1016/j.foodcont.2013.11.012).
- [160] Tedeschi, P.; Coisson, J. D.; Maietti, A.; Cereti, E.; Stagno, C.; Travaglia, F.; Arlorio, M.; Brandolini, V. Chemotype and Genotype Combined Analysis Applied to Tomato (*Lycopersicon Esculentum* Mill.) Analytical Traceability. *J. Food Compos. Anal.* **2011**, *24*(2), 131–139. DOI: [10.1016/j.jfca.2010.06.008](https://doi.org/10.1016/j.jfca.2010.06.008).
- [161] Raco, B.; Dotsika, E.; Poutoukis, D.; Battaglini, R.; Chantzi, P. O-H-C Isotope Ratio Determination in Wine in order to Be Used as a Fingerprint of Its Regional Origin. *Food Chem.* **2015**, *168*, 588–594. DOI: [10.1016/j.foodchem.2014.07.043](https://doi.org/10.1016/j.foodchem.2014.07.043).
- [162] Rodríguez-Bermúdez, R.; Herrero-Latorre, C.; López-Alonso, M.; Losada, D. E.; Iglesias, R.; Miranda, M. Organic Cattle Products: Authenticating Production Origin by Analysis of Serum Mineral Content. *Food Chem.* **2018**, *264* (November 2017), 210–217. DOI: [10.1016/j.foodchem.2018.05.044](https://doi.org/10.1016/j.foodchem.2018.05.044).
- [163] Giacalone, R.; Giuliano, S.; Gulotta, E.; Monfreda, M.; Presti, G. Origin Assessment of EV Olive Oils by Esterified Sterols Analysis. *Food Chem.* **2015**, *188*, 279–285. DOI: [10.1016/j.foodchem.2015.04.139](https://doi.org/10.1016/j.foodchem.2015.04.139).
- [164] Masson, J.; Liberto, E.; Beolor, J. C.; Brevard, H.; Bicchi, C.; Rubiolo, P. Oxygenated Heterocyclic Compounds to Differentiate Citrus Spp. Essential Oils through Metabolomic Strategies. *Food Chem.* **2016**, *206*, 223–233. DOI: [10.1016/j.foodchem.2016.03.057](https://doi.org/10.1016/j.foodchem.2016.03.057).
- [165] Galal-Khallaf, A.; Ardura, A.; Borrell, Y. J.; Garcia-Vazquez, E. PCR-Based Assessment of Shellfish Traceability and Sustainability in International Mediterranean Seafood Markets. *Food Chem.* **2016**, *202*, 302–308. DOI: [10.1016/j.foodchem.2016.01.131](https://doi.org/10.1016/j.foodchem.2016.01.131).
- [166] Pantelić, M. M.; Zagorac, D. Č. D.; Ćirić, I.; Pergal, M. V.; Relić, D. J.; Todić, S. R.; Natić, M. M. Phenolic Profiles, Antioxidant Activity and Minerals in Leaves of Different Grapevine Varieties Grown in Serbia. *J. Food Compos. Anal.* **2017**, *62*(May), 76–83. DOI: [10.1016/j.jfca.2017.05.002](https://doi.org/10.1016/j.jfca.2017.05.002).
- [167] Alves, E.; Melo, T.; Rey, F.; Moreira, A. S. P.; Domingues, P.; Domingues, M. R. Polar Lipid Profiling of Olive Oils as a Useful Tool in Helping to Decipher Their Unique Fingerprint. *LWT - Food Sci. Technol.* **2016**, *74*, 371–377. DOI: [10.1016/j.lwt.2016.07.071](https://doi.org/10.1016/j.lwt.2016.07.071).
- [168] Amodio, M. L.; Ceglie, F.; Chaudhry, M. M. A.; Piazzolla, F.; Colelli, G. Potential of NIR Spectroscopy for Predicting Internal Quality and Discriminating among Strawberry Fruits from Different Production Systems. *Postharvest Biol. Technol.* **2017**, *125*, 112–121. DOI: [10.1016/j.postharvbio.2016.11.013](https://doi.org/10.1016/j.postharvbio.2016.11.013).
- [169] Trincherini, P. R.; Baffi, C.; Barbero, P.; Pizzoglio, E.; Spalla, S. Precise Determination of Strontium Isotope Ratios by TIMS to Authenticate Tomato Geographical Origin. *Food Chem.* **2014**, *145*, 349–355. DOI: [10.1016/j.foodchem.2013.08.030](https://doi.org/10.1016/j.foodchem.2013.08.030).
- [170] Mazzeo, M. F.; Siciliano, R. A. Proteomics for the Authentication of Fish Species. *J. Proteomics.* **2016**, *147*, 119–124. DOI: [10.1016/j.jprot.2016.03.007](https://doi.org/10.1016/j.jprot.2016.03.007).
- [171] Bajoub, A.; Hurtado-Fernández, E.; Ajal, E. A.; Fernández-Gutiérrez, A.; Carrasco-Pancorbo, A.; Ouazzani, N. Quality and Chemical Profiles of Monovarietal North Moroccan Olive Oils from “Picholine Marocaine” Cultivar: Registration Database Development and Geographical Discrimination. *Food Chem.* **2015**, *179*, 127–136. DOI: [10.1016/j.foodchem.2015.01.101](https://doi.org/10.1016/j.foodchem.2015.01.101).

- [172] Chiesa, S.; Nonnis Marzano, F.; Minervini, G.; De Lucrezia, D.; Baccarani, G.; Bordignon, G.; Poli, I.; Ravagnan, G.; Argese, E.; The Invasive Manila Clam *Ruditapes Philippinarum* (Adams and Reeve, 1850) in Northern Adriatic Sea: Population Genetics Assessed by an Integrated Molecular Approach. *Fish. Res.* **2011**, *1102*, 259–267. DOI: [10.1016/j.fishres.2011.04.013](https://doi.org/10.1016/j.fishres.2011.04.013).
- [173] Mihailova, A.; Abbado, D.; Kelly, S. D.; Pedentchouk, N. The Impact of Environmental Factors on Molecular and Stable Isotope Compositions of N-Alkanes in Mediterranean Extra Virgin Olive Oils. *Food Chem.* **2015**, *173*, 114–121. DOI: [10.1016/j.foodchem.2014.10.003](https://doi.org/10.1016/j.foodchem.2014.10.003).
- [174] Corvucci, F.; Nobili, L.; Melucci, D.; Grillenzoni, F. V. The Discrimination of Honey Origin Using Melissopalynology and Raman Spectroscopy Techniques Coupled with Multivariate Analysis. *Food Chem.* **2015**, *169*, 297–304. DOI: [10.1016/j.foodchem.2014.07.122](https://doi.org/10.1016/j.foodchem.2014.07.122).
- [175] Rummel, S.; Hoelzl, S.; Horn, P.; Rossmann, A.; Schlicht, C. The Combination of Stable Isotope Abundance Ratios of H, C, N and S with $87\text{Sr}/86\text{Sr}$ for Geographical Origin Assignment of Orange Juices. *Food Chem.* **2010**, *118*(4), 890–900. DOI: [10.1016/j.foodchem.2008.05.115](https://doi.org/10.1016/j.foodchem.2008.05.115).
- [176] Badaoui, B.; Manunza, A.; Castelló, A.; D'Andrea, M.; Pilla, F.; Capote, J.; Jordana, J.; Ferrando, A.; Martínez, A.; Cabrera, B.; et al. Technical Note: Advantages and Limitations of Authenticating Palmera Goat Dairy Products by Pyrosequencing the Melanocortin 1 Receptor (MC1R) Gene. *J. Dairy Sci.* **2014**, *97*(11), 7293–7297. DOI: [10.3168/jds.2014-8316](https://doi.org/10.3168/jds.2014-8316).
- [177] Pina, A.; Begou, O.; Kanelis, D.; Gika, H.; Kalogiannis, S.; Tananaki, C.; Theodoridis, G.; Zotou, A. Targeted Profiling of Hydrophilic Constituents of Royal Jelly by Hydrophilic Interaction Liquid Chromatography–Tandem Mass Spectrometry. *J. Chromatogr. A* **2018**, *1531*, 53–63. DOI: [10.1016/j.chroma.2017.11.019](https://doi.org/10.1016/j.chroma.2017.11.019).
- [178] Mahne Opatić, A.; Nečemer, M.; Lojen, S.; Vidrih, R. Stable Isotope Ratio and Elemental Composition Parameters in Combination with Discriminant Analysis Classification Model to Assign Country of Origin to Commercial Vegetables – A Preliminary Study. *Food Control* **2017**, *80*, 252–258. DOI: [10.1016/j.foodcont.2017.05.010](https://doi.org/10.1016/j.foodcont.2017.05.010).
- [179] Perini, M.; Carbone, G.; Camin, F. Stable Isotope Ratio Analysis for Authentication of Red Yeast Rice. *Talanta* **2017**, *174*(May), 228–233. DOI: [10.1016/j.talanta.2017.05.057](https://doi.org/10.1016/j.talanta.2017.05.057).
- [180] Mihailova, A.; Pedentchouk, N.; Kelly, S. D. Stable Isotope Analysis of Plant-Derived Nitrate - Novel Method for Discrimination between Organically and Conventionally Grown Vegetables. *Food Chem.* **2014**, *154*, 238–245. DOI: [10.1016/j.foodchem.2014.01.020](https://doi.org/10.1016/j.foodchem.2014.01.020).
- [181] Mahne Opatić, A.; Nečemer, M.; Budič, B.; Lojen, S. Stable Isotope Analysis of Major Bioelements, Multi-Element Profiling, and Discriminant Analysis for Geographical Origins of Organically Grown Potato. *J. Food Compos. Anal.* **2018**, *71*(April), 17–24. DOI: [10.1016/j.jfca.2018.04.005](https://doi.org/10.1016/j.jfca.2018.04.005).
- [182] Pascoal, A.; Ortea, I.; Gallardo, J. M.; Cañas, B.; Barros-Velázquez, J.; Calo-Mata, P. Species Identification of the Northern Shrimp (*Pandalus borealis*) by Polymerase Chain Reaction-Restriction Fragment Length Polymorphism and Proteomic Analysis. *Anal. Biochem.* **2012**, *421*(1), 56–67. DOI: [10.1016/j.ab.2011.10.029](https://doi.org/10.1016/j.ab.2011.10.029).
- [183] Mikkelsen, A. T.; Jessen, F.; Ballin, N. Z. Species Determination of Pine Nuts in Commercial Samples Causing Pine Nut Syndrome. *Food Control* **2014**, *40*(1), 19–25. DOI: [10.1016/j.foodcont.2013.11.030](https://doi.org/10.1016/j.foodcont.2013.11.030).
- [184] Vararu, F.; Moreno-García, J.; Zamfir, C. I.; Cotea, V. V.; Moreno, J. Selection of Aroma Compounds for the Differentiation of Wines Obtained by Fermenting Musts with Starter Cultures of Commercial Yeast Strains. *Food Chem.* **2016**, *197*, 373–381. DOI: [10.1016/j.foodchem.2015.10.111](https://doi.org/10.1016/j.foodchem.2015.10.111).
- [185] Kharbach, M.; Kamal, R.; Mansouri, M. A.; Marmouzi, I.; Viaene, J.; Cherrah, Y.; Alaoui, K.; Vercammen, J.; Bouklouze, A.; Vander Heyden, Y. Selected-Ion Flow-Tube Mass-Spectrometry (SIFT-MS) Fingerprinting versus Chemical Profiling for Geographic Traceability of Moroccan Argan Oils. *Food Chem.* **2018**, *263*(December 2017), 8–17. DOI: [10.1016/j.foodchem.2018.04.059](https://doi.org/10.1016/j.foodchem.2018.04.059).
- [186] Rubert, J.; Lacina, O.; Zachariasova, M.; Hajšlova, J. Saffron Authentication Based on Liquid Chromatography High Resolution Tandem Mass Spectrometry and Multivariate Data Analysis. *Food Chem.* **2016**, *204*, 201–209. DOI: [10.1016/j.foodchem.2016.01.003](https://doi.org/10.1016/j.foodchem.2016.01.003).
- [187] Pizarro, C.; Rodríguez-Tecedor, S.; Pérez-del-notario, N.; González-Sáiz, J. M. Recognition of Volatile Compounds as Markers in Geographical Discrimination of Spanish Extra Virgin Olive Oils by Chemometric Analysis of Non-Specific Chromatography Volatile Profiles. *J. Chromatogr. A* **2011**, *1218*(3), 518–523. DOI: [10.1016/j.chroma.2010.11.045](https://doi.org/10.1016/j.chroma.2010.11.045).
- [188] Drivelos, S. A.; Danezis, G. P.; Haroutounian, S. A.; Georgiou, C. A. Rare Earth Elements Minimal Harvest Year Variation Facilitates Robust Geographical Origin Discrimination: The Case of PDO “Fava Santorinis”. *Food Chem.* **2016**, *213*, 238–245. DOI: [10.1016/j.foodchem.2016.06.088](https://doi.org/10.1016/j.foodchem.2016.06.088).
- [189] Ferreira-González, M.; Espada-Bellido, E.; Guillén-Cueto, L.; Palma, M.; Barroso, C. G.; Barbero, G. F. Rapid Quantification of Honey Adulteration by Visible-near Infrared Spectroscopy Combined with Chemometrics. *Talanta* **2018**, *188*(March), 288–292. DOI: [10.1016/j.talanta.2018.05.095](https://doi.org/10.1016/j.talanta.2018.05.095).
- [190] Espiñeira, M.; Vieites, J. M. Rapid Method for Controlling the Correct Labeling of Products Containing Common Octopus (*Octopus vulgaris*) and Main Substitute Species (*Eledone cirrhosa* and *Dosidicus gigas*) by Fast Real-Time PCR. *Food Chem.* **2012**, *135*(4), 2439–2444. DOI: [10.1016/j.foodchem.2012.07.056](https://doi.org/10.1016/j.foodchem.2012.07.056).

- [191] Melucci, D.; Bendini, A.; Tesini, F.; Barbieri, S.; Zappi, A.; Vichi, S.; Conte, L.; Gallina Toschi, T. Rapid Direct Analysis to Discriminate Geographic Origin of Extra Virgin Olive Oils by Flash Gas Chromatography Electronic Nose and Chemometrics. *Food Chem.* **2016**, *204*, 263–273. DOI: [10.1016/j.foodchem.2016.02.131](https://doi.org/10.1016/j.foodchem.2016.02.131).
- [192] Yener, S.; Sánchez-López, J. A.; Granitto, P. M.; Cappellin, L.; Märk, T. D.; Zimmermann, R.; Bonn, G. K.; Yeretzyan, C.; Biasioli, F. Rapid and Direct Volatile Compound Profiling of Black and Green Teas (*Camellia Sinensis*) from Different Countries with PTR-ToF-MS. *Talanta*. **2016**, *152*, 45–53. DOI: [10.1016/j.talanta.2016.01.050](https://doi.org/10.1016/j.talanta.2016.01.050).
- [193] Torrecilla, J. S.; García, J.; García, S.; Rodríguez, F. Quantification of Adulterant Agents in Extra Virgin Olive Oil by Models Based on Its Thermophysical Properties. *J. Food Eng.* **2011**, *103*(2), 211–218. DOI: [10.1016/j.jfoodeng.2010.10.017](https://doi.org/10.1016/j.jfoodeng.2010.10.017).
- [194] Casale, M.; Casolino, C.; Oliveri, P.; Forina, M. The Potential of Coupling Information Using Three Analytical Techniques for Identifying the Geographical Origin of Liguria Extra Virgin Olive Oil. *Food Chem.* **2010**, *118*(1), 163–170. DOI: [10.1016/j.foodchem.2009.04.091](https://doi.org/10.1016/j.foodchem.2009.04.091).
- [195] Russo, M.; Serra, D.; Suraci, F.; Di Sanzo, R.; Fuda, S.; Postorino, S. The Potential of E-Nose Aroma Profiling for Identifying the Geographical Origin of Licorice (*Glycyrrhiza Glabra* L.) Roots. *Food Chem.* **2014**, *165*, 467–474. DOI: [10.1016/j.foodchem.2014.05.142](https://doi.org/10.1016/j.foodchem.2014.05.142).
- [196] Bazakos, C.; Khanfir, E.; Aoun, M.; Spano, T.; El Zein, Z.; Chalak, L.; El Riachy, M.; Abou-Sleymane, G.; Ben, A. S.; Kammoun, N. G.; et al. The Potential of SNP-Based PCR-RFLP Capillary Electrophoresis Analysis to Authenticate and Detect Admixtures of Mediterranean Olive Oils. *Electrophoresis*. **2016**, *37*(13), 1881–1890. DOI: [10.1002/elps.201500537](https://doi.org/10.1002/elps.201500537).
- [197] Camin, F.; Pavone, A.; Bontempo, L.; Wehrens, R.; Paolini, M.; Faberi, A.; Marianella, R. M.; Capitani, D.; Vista, S.; Mannina, L. The Use of IRMS, ¹H NMR and Chemical Analysis to Characterise Italian and Imported Tunisian Olive Oils. *Food Chem.* **2016**, *196*, 98–105. DOI: [10.1016/j.foodchem.2015.08.132](https://doi.org/10.1016/j.foodchem.2015.08.132).
- [198] De Rijke, E.; Schoorl, J. C.; Cerli, C.; Vonhof, H. B.; Verdegaal, S. J. A.; Vivó-Truyols, G.; Lopatka, M.; Dekter, R.; Bakker, D.; Sjerps, M. J.; et al. The Use of $\Delta^2\text{H}$ and $\Delta^{18}\text{O}$ Isotopic Analyses Combined with Chemometrics as a Traceability Tool for the Geographical Origin of Bell Peppers. *Food Chem.* **2016**, *204*, 122–128. DOI: [10.1016/j.foodchem.2016.01.134](https://doi.org/10.1016/j.foodchem.2016.01.134).
- [199] Lo, F. G.; Macchione, B.; Naccarato, A.; Sindona, G.; Tagarelli, A. The Volatile Fraction Profiling of Fresh Tomatoes and Triple Concentrate Tomato Pastes as Parameter for the Determination of Geographical Origin. *Food Res. Int.* **2011**, *44*(3), 781–788. DOI: [10.1016/j.foodres.2011.01.017](https://doi.org/10.1016/j.foodres.2011.01.017).
- [200] Prins, T. W.; Van Dijk, J. P.; Angeline Van Hoef, A. M.; Voorhuijzen, M. M.; Broeders, S.; Trapmann, S.; Seyfarth, R.; Pardigol, A.; Schoen, C. D.; Aarts, H. J. M.; et al. Towards a Multiplex Cereal Traceability Tool Using Padlock Probe Ligation on Genomic DNA. *Food Chem.* **2010**, *118*(4), 966–973. DOI: [10.1016/j.foodchem.2008.10.085](https://doi.org/10.1016/j.foodchem.2008.10.085).
- [201] Melis, R.; Cappuccinelli, R.; Roggio, T.; Anedda, R. Addressing Marketplace Gilthead Sea Bream (*Sparus Aurata* L.) Differentiation by ¹H NMR-Based Lipid Fingerprinting. *Food Res. Int.* **2014**, *63*, 258–264. DOI: [10.1016/j.foodres.2014.05.041](https://doi.org/10.1016/j.foodres.2014.05.041).
- [202] De Alda-Garcilope, C.; Gallego-Picó, A.; Bravo-Yagüe, J. C.; Garcinuño-Martínez, R. M.; Fernández-Hernando, P. Characterization of Spanish Honeys with Protected Designation of Origin “Miel De Granada” according to Their Mineral Content. *Food Chem.* **2012**, *135*(3), 1785–1788. DOI: [10.1016/j.foodchem.2012.06.057](https://doi.org/10.1016/j.foodchem.2012.06.057).
- [203] Magdas, D. A.; Guyon, F.; Feher, I.; Pinzaru, S. C. Wine Discrimination Based on Chemometric Analysis of Untargeted Markers Using FT-Raman Spectroscopy. *Food Control*. **2018**, *85*, 385–391. DOI: [10.1016/j.foodcont.2017.10.024](https://doi.org/10.1016/j.foodcont.2017.10.024).
- [204] Raclariu, A. C.; Țebrencu, C. E.; Ichim, M. C.; Ciupercă, O. T.; Brysting, A. K.; De Boer, H. What’s in the Box? Authentication of Echinacea Herbal Products Using DNA Metabarcoding and HPTLC. *Phytomedicine*. **2018**, *44* (July 2017), 32–38. DOI: [10.1016/j.phymed.2018.03.058](https://doi.org/10.1016/j.phymed.2018.03.058).
- [205] Stamatis, C.; Sarri, C. A.; Moutou, K. A.; Argyrakoulis, N.; Galara, I.; Godosopoulos, V.; Kolovos, M.; Liakou, C.; Stasinou, V.; Mamuris, Z. What Do We Think We Eat? Single Tracing Method across Foodstuff of Animal Origin Found in Greek Market. *Food Res. Int.* **2015**, *69*, 151–155. DOI: [10.1016/j.foodres.2014.12.033](https://doi.org/10.1016/j.foodres.2014.12.033).
- [206] Geana, E. I.; Popescu, R.; Costinel, D.; Dinca, O. R.; Stefanescu, I.; Ionete, R. E.; Bala, C. Verifying the Red Wines Adulteration through Isotopic and Chromatographic Investigations Coupled with Multivariate Statistic Interpretation of the Data. *Food Control*. **2016**, *62*, 1–9. DOI: [10.1016/j.foodcont.2015.10.003](https://doi.org/10.1016/j.foodcont.2015.10.003).
- [207] Rees, G.; Kelly, S. D.; Cairns, P.; Ueckermann, H.; Hoelzl, S.; Rossmann, A.; Scotter, M. J. Verifying the Geographical Origin of Poultry: The Application of Stable Isotope and Trace Element (SITE) Analysis. *Food Control*. **2016**, *67*, 144–154. DOI: [10.1016/j.foodcont.2016.02.018](https://doi.org/10.1016/j.foodcont.2016.02.018).
- [208] Capuano, E.; Rademaker, J.; Van Den Bijgaart, H.; Van Ruth, M.; S. Verification of Fresh Grass Feeding, Pasture Grazing and Organic Farming by FTIR Spectroscopy Analysis of Bovine Milk. *Food Res. Int.* **2014**, *60*, 59–65. doi: [10.1016/j.foodres.2013.12.024](https://doi.org/10.1016/j.foodres.2013.12.024).
- [209] Di Domenico, M.; Di Giuseppe, M.; Wicochea Rodríguez, J. D.; Cammà, C. Validation of a Fast Real-Time PCR Method to Detect Fraud and Mislabeling in Milk and Dairy Products. *J. Dairy Sci.* **2017**, *100*(1), 106–112. DOI: [10.3168/jds.2016-11695](https://doi.org/10.3168/jds.2016-11695).

- [210] Andueza, D.; Agabriel, C.; Constant, I.; Lucas, A.; Martin, B. Using Visible or near Infrared Spectroscopy (NIRS) on Cheese to Authenticate Cow Feeding Regimes. *Food Chem.* **2013**, *141*(1), 209–214. DOI: [10.1016/j.foodchem.2013.02.086](https://doi.org/10.1016/j.foodchem.2013.02.086).
- [211] Rocchetti, G.; Lucini, L.; Gallo, A.; Masoero, F.; Trevisan, M.; Giuberti, G. Untargeted Metabolomics Reveals Differences in Chemical Fingerprints between PDO and Non-PDO Grana Padano Cheeses. *Food Res. Int.* **2018**, *113*(July), 407–413. DOI: [10.1016/j.foodres.2018.07.029](https://doi.org/10.1016/j.foodres.2018.07.029).
- [212] Jakubowska, M.; Sordoń, W.; Ciepiela, F. Unsupervised Pattern Recognition Methods in Ciders Profiling Based on GCE Voltammetric Signals. *Food Chem.* **2016**, *203*, 476–482. DOI: [10.1016/j.foodchem.2016.02.112](https://doi.org/10.1016/j.foodchem.2016.02.112).
- [213] Bevilacqua, M.; Bucci, R.; Magri, A. D.; Magri, A. L.; Marini, F. Tracing the Origin of Extra Virgin Olive Oils by Infrared Spectroscopy and Chemometrics: A Case Study. *Anal. Chim. Acta.* **2012**, *717*, 39–51. DOI: [10.1016/j.aca.2011.12.035](https://doi.org/10.1016/j.aca.2011.12.035).
- [214] Mottese, A. F.; Naccari, C.; Vadalà, R.; Bua, G. D.; Bartolomeo, G.; Rando, R.; Cicero, N.; Dugo, G. Traceability of *Opuntia Ficus-Indica* L. Miller by ICP-MS Multi-Element Profile and Chemometric Approach. *J. Sci. Food Agric.* **2018**, *98*(1), 198–204. DOI: [10.1002/jsfa.8456](https://doi.org/10.1002/jsfa.8456).
- [215] Cajka, T.; Riddellova, K.; Klimankova, E.; Cerna, M.; Pudil, F.; Hajslova, J. Traceability of Olive Oil Based on Volatiles Pattern and Multivariate Analysis. *Food Chem.* **2010**, *121*(1), 282–289. DOI: [10.1016/j.foodchem.2009.12.011](https://doi.org/10.1016/j.foodchem.2009.12.011).
- [216] Amenta, M.; Fabroni, S.; Costa, C.; Rapisarda, P. Rapisarda, P.e Di Siracusa PGI” by a Multidisciplinary Analytical and Chemometric Approach. *Food Chem.* **2016**, *211*, 734–740. DOI: [10.1016/j.foodchem.2016.05.119](https://doi.org/10.1016/j.foodchem.2016.05.119).
- [217] Ritota, M.; Casciani, L.; Han, B. Z.; Cozzolino, S.; Leita, L.; Sequi, P.; Valentini, M. Traceability of Italian Garlic (*Allium Sativum* L.) By Means of HRMAS-NMR Spectroscopy and Multivariate Data Analysis. *Food Chem.* **2012**, *135*(2), 684–693. DOI: [10.1016/j.foodchem.2012.05.032](https://doi.org/10.1016/j.foodchem.2012.05.032).
- [218] Galal-Khalla, A.; Ardura, A.; Borrell, Y. J.; Garcia-Vazquez, E. Towards More Sustainable Surimi? PCR-Cloning Approach for DNA Barcoding Reveals the Use of Species of Low Trophic Level and Aquaculture in Asian Surimi. *Food Control.* **2016**, *61*(2065), 62–69. DOI: [10.1016/j.foodcont.2015.09.027](https://doi.org/10.1016/j.foodcont.2015.09.027).
- [219] Tenori, L.; Santucci, C.; Meoni, G.; Morrocchi, V.; Matteucci, G.; Luchinat, C.; Metabolomic Fingerprinting, N. M. R. Distinguishes Milk from Different Farms. *Food Res. Int.* **2018**, *113*(June), 131–139. DOI: [10.1016/j.foodres.2018.06.066](https://doi.org/10.1016/j.foodres.2018.06.066).
- [220] Fotakis, C.; Christodouleas, D.; Kokkotou, K.; Zervou, M.; Zoumpoulakis, P.; Moulos, P.; Liouni, M.; Calokerinos, A.; Metabolite, N. M. R. Profiling of Greek Grape Marc Spirits. *Food Chem.* **2013**, *138*(2–3), 1837–1846. DOI: [10.1016/j.foodchem.2012.11.128](https://doi.org/10.1016/j.foodchem.2012.11.128).
- [221] Kortseniemi, M.; Slupsky, C. M.; Ollikka, T.; Kauko, L.; Spevacek, A. R.; Sjövall, O.; Yang, B.; Kallio, H.; Profiling, N. M. R. Clarifies the Characterization of Finnish Honeys of Different Botanical Origins. *Food Res. Int.* **2016**, *86*, 83–92. DOI: [10.1016/j.foodres.2016.05.014](https://doi.org/10.1016/j.foodres.2016.05.014).
- [222] Standal, I. B.; Axelson, D. E.; Aursand, M. ¹³C NMR as a Tool for Authentication of Different Gadoid Fish Species with Emphasis on Phospholipid Profiles. *Food Chem.* **2010**, *121*(2), 608–615. DOI: [10.1016/j.foodchem.2009.12.074](https://doi.org/10.1016/j.foodchem.2009.12.074).
- [223] Ottavian, M.; Facco, P.; Barolo, M.; Berzaghi, P.; Segato, S.; Novelli, E.; Balzan, S. Near-Infrared Spectroscopy to Assist Authentication and Labeling of Asiago D’allevo Cheese. *J. Food Eng.* **2012**, *113*(2), 289–298. DOI: [10.1016/j.jfoodeng.2012.05.037](https://doi.org/10.1016/j.jfoodeng.2012.05.037).
- [224] Vitale, R.; Bevilacqua, M.; Bucci, R.; Magri, A. D.; Magri, A. L.; Marini, F. A Rapid and Non-Invasive Method for Authenticating the Origin of Pistachio Samples by NIR Spectroscopy and Chemometrics. *Chemom. Intell. Lab. Syst.* **2013**, *121*, 90–99. DOI: [10.1016/j.chemolab.2012.11.019](https://doi.org/10.1016/j.chemolab.2012.11.019).
- [225] Mees, C.; Souard, F.; Delporte, C.; Deconinck, E.; Stoffelen, P.; Stévigny, C.; Kauffmann, J. M.; De Braekeleer, K. Identification of Coffee Leaves Using FT-NIR Spectroscopy and SIMCA. *Talanta.* **2018**, *177*(June 2017), 4–11. DOI: [10.1016/j.talanta.2017.09.056](https://doi.org/10.1016/j.talanta.2017.09.056).
- [226] Latorre, C. H.; Crecente, R. M. P.; Martín, S. G.; García, J. B.; Fast Chemometric, A. Procedure Based on NIR Data for Authentication of Honey with Protected Geographical Indication. *Food Chem.* **2013**, *141*(4), 3559–3565. DOI: [10.1016/j.foodchem.2013.06.022](https://doi.org/10.1016/j.foodchem.2013.06.022).
- [227] Chiesa, L.; Panseri, S.; Bonacci, S.; Procopio, A.; Zecconi, A.; Arioli, F.; Cuevas, F. J.; Moreno-Rojas, J. M. Authentication of Italian PDO Lard Using NIR Spectroscopy, Volatile Profile and Fatty Acid Composition Combined with Chemometrics. *Food Chem.* **2016**, *212*, 296–304. DOI: [10.1016/j.foodchem.2016.05.180](https://doi.org/10.1016/j.foodchem.2016.05.180).
- [228] Sobolev, A. P.; Thomas, F.; Donarski, J.; Ingallina, C.; Circi, S.; Cesare Marincola, F.; Capitani, D.; Mannina, L. Use of NMR Applications to Tackle Future Food Fraud Issues. *Trends Food Sci. Technol.* **2019**, *91*(March 2018), 347–353. DOI: [10.1016/j.tifs.2019.07.035](https://doi.org/10.1016/j.tifs.2019.07.035).
- [229] Sobolev, A.; Proietti, M.; Capitani, D.; Mazzei, P.; & Piccolo, A. NMR Applications in Food Analysis. *Analytical Chemistry—Developments, Applications, and challenges in food analysis*. Hauppauge: Nova Science Publishers Inc, 103–56.
- [230] Babushkin, V.; Spiridonov, A.; Kozhukhar, A.; Application of NIR and FTIR in Food Analysis. *J. Phys. Sci. Appl.* **2016**, *62*, 47–50. DOI: [10.17265/2159-5348/2016.02.007](https://doi.org/10.17265/2159-5348/2016.02.007).

- [231] Kharbach, M.; Kamal, R.; Mansouri, M. A.; Marmouzi, I.; Viaene, J.; Cherrah, Y.; Alaoui, K.; Vercammen, J.; Bouklouze, A.; Vander Heyden, Y. Selected-Ion Flow-Tube Mass-Spectrometry (SIFT-MS) Fingerprinting versus Chemical Profiling for Geographic Traceability of Moroccan Argan Oils. *Food Chem.* **2018**, 263(April), 8–17. DOI: [10.1016/j.foodchem.2018.04.059](https://doi.org/10.1016/j.foodchem.2018.04.059).
- [232] Castro-Puyana, M.; Mendiola, J. A.; Ibáñez, E.; Herrero, M.; MS-based Metabolomics Approaches for Food Safety, Quality, and Traceability. *Foodomics: Advanced Mass Spectrometry in Modern Food Science and Nutrition*. **2013**, 453–470.
- [233] Cavanna, D.; Righetti, L.; Elliott, C.; Suman, M. The Scientific Challenges in Moving from Targeted to Non-targeted Mass Spectrometric Methods for Food Fraud Analysis: A Proposed Validation Workflow to Bring about A Harmonized Approach. *Trends Food Sci. Technol.* **2018**, 80, 223–241. DOI: [10.1016/j.tifs.2018.08.007](https://doi.org/10.1016/j.tifs.2018.08.007).
- [234] *European Commission* (2019). Knowledge Centre for Food Fraud and Quality. https://ec.europa.eu/knowledge4policy/food-fraudquality_en Accessed Apr 24, 2019.
- [235] *Food Standards Agency* (2017). National Food Crime Unit. <https://www.food.gov.uk/about-us/national-food-crime-unit> Accessed Apr 17, 2019.